

OFFICE

CATALOGUE 2022



koher
architecture interiors furniture

Topstar
bewegt!

MADE IN GERMANY

CONTENT

OFFICE

OPEN ART 10	6	NEW S'MOVE WHITE	41
OPEN ART 2010	7	NEW S'MOVE BLACK	42
OPEN BASE 10	8	FREE-ART WITH HEADREST	43
LIGHTSTAR 30	9	FREE-ART WITHOUT HEADREST	44
LIGHTSTAR 20	10	TRENDSTAR 20 SY	45
LIGHTSTAR 20	11	TRENDSTAR 10 P	46
LIGHTSTAR 10	12	SOLUTION® SY	47
LIGHTSTAR 10	13	NET POINT 10	48
SOFT PRO 110	14	TOP PRO 2	49
SOFT PRO 100	15	TOP PRO 1	50
NET PRO 110	16	CUBE	51
NET PRO 100	17	WELLPOINT 30 SY	52
X-PANDER PLUS	18	WELLPOINT 10	53
X-PANDER	19	TREND SY 10	54
OPEN X DELUXE (P)	20	TOP POINT SY	55
OPEN X DELUXE (P)	21	ERGO POINT SY	56
OPEN X DELUXE (N)	22	ERGO POINT P	57
OPEN X DELUXE (N)	23	OPEN POINT SY	58
OPEN X (P)	24	OPEN POINT P	59
OPEN X (N)	25	SUPPORT SY	60
ALUSTAR BASIC	26	AIRGO NET	61
AIR SYNCRO	27	U50	62
P91	28	SMART POINT	63
NEW WORKART	29	POINT 80	64
AUTOSYNCRON®-2	30	POINT 70	65
AUTOSYNCRON®-1	31	POINT 30	66
SYNCRO SOFT	32		
SYNCRO NET	33		
ART COMFORT	34		
HEAD POINT RS	35		
HEAD POINT SY	36		
HEAD POINT P	37		
SYNCRO PRO 5	38		
TWO 20	39		
TWO 10	40		

EXECUTIVE CHAIR

PROFI CHIEF 300	68
CHAIRMAN X	69
RS 1	70
PROFI CHIEF 100	71
TD LUX 10	72
TD LUX 15	73
CHAIRMAN 70	74
HIGH SIT UP	75
SPEED CHAIR	76
SPEED CHAIR 2	77
SOFT LUX	78
COMFORT PONT 100	79

VISITOR

BTOB 3D 40	82
BTOB 3D 30	83
BTOB 20 MESH	84
BTOB 20 UPHOLSTERED	85
BTOB 10 MESH	86
BTOB 10 UPHOLSTERED	87
OPEN CHAIR 110	88
OPEN CHAIR 100	89
VISIT 20	90
VISIT 10	91
W-CHAIR	92

CONTENT

CONTRACT

NEW ALUART CLASSIC	94
NEW ALUART	95
BIG STAR 30	96
BIG STAR 20	97
BIG STAR 10	98
PROFI STAR 15	99
PROFI NET 11	100
T300	101

DESKS

E-TABLE	118
E-TABLE HOME	119

ADDITIONAL INFORMATION

ACCESSOIRES	120
FABRICS	130
INDEX	154
COMPANY	156
GUARANTEE	158
GS SYMBOL	158
GENERAL INFROMATION	159
ISO-CERTIFICATE	159

PRODUCTION

SITNESS 40	104
TEC 80 PK	105
TEC 40	106
TEC 50	107
TEC 11	108
TEC 20	109
BONANZA	110
BODY BALANCE 20	111
BODY BALANCE 10	112
SITNESS WORK HIGH	113
STANDSTAR	114
TEC 60	115
TEC 70	116

OFFICE

MY OFFICE. MY WORKING ENVIRONMENT.



Open Art 10



Model	Item no.		
Aluminium base alu silver with armrests "T2(OPA)" height adjustable, item no.: 7090 CHR	J170T		
Aluminium base polished with armrests "T2(OPA)" height adjustable, item no.: 7090 CHR	J190T		

OPTIONS Hard floor castors big, item no. 6990 / Foot glides high, item no. 6990-2

Fabrics

Backrest in mesh, colour matching to the seat:
S01, S03, S04, S05, S07, S14, S18 (Wear layer: 100% PU / Ground fabric: 65% PES, 30% CO, 5% CV)
T31, T33, T34, T35, T38 (100% Trevira CS)
Backrest in black mesh, seat:
S10, S12, S13, S16 (Wear layer: 100% PU / Ground fabric: 65% PES, 30% CO, 5% CV)
T20, T21, T22, T23, T26, T27 (100% Trevira CS)
A80 (genuine leather)

Dimensions

Seat height: 43-52 cm
Seat width: 48 cm
Seat depth: 50 cm
Backrest height: 55 cm
Headrest height: 20-28 cm
Total height: 118-144 cm

Technical data

Weight: approx. 15-18 kg
Unit: 1/carton
Pallet quantity: 8/pallet



Swivel chair in mesh design with multifunctional headrest



Seat height adjustable in various positions by safety gaslift



Multifunctional headrest, adjustable in height and angle according to the user




Mesh backrest with integrated Body-Balance-Tec® joint and height adjustable lumbar support



Comfortable moulded seat with bolster for knees



Syncro-relax mechanism with an extra wide opening angle, lockable in the front position



Design aluminium base silver coated or against surcharge polished, equipped with braked double-wheel safety castors suitable for carpet floors



Height adjustable armrests "T2(OPA)"



This product has the GS-sign from Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1.92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Open Art® 2010



Model	Item no.		
-------	----------	--	--

Polyamide base, black

with armrests "T2(OPA)" height adjustable,
item no.: 7090 CHR

OPA0T

OPTIONS Hard floor castors big, item no. 6990 / Foot glides, item no. 6990-2

Fabrics

Seat always 3D-mesh black: BB0 (100 % polyester)

Mesh backrest (100 % polyester):

B900 black, B910 red, B920 apple-green, B930 white,
B940 orange, B980 blue, BG10 pink, BG30 purple

Dimensions

Seat height:	43-52 cm
Seat width:	48 cm
Seat depth:	50 cm
Backrest height:	55 cm
Headrest height:	20-28 cm
Total height:	118-144 cm

Technical data


Weight:	approx. 17,0 kg
Unit:	1/carton
Pallet quantity:	8/pallet



Design- and comfort swivel chair in mesh-optic



Seat height adjustable in various positions by safety gaslift




Multifunctional headrest, adjustable in height and angle according to the single user




Mesh backrest with integrated Body-Balance-Tec® joint and height adjustable lumbar support



Comfortable moulded seat with bolster for knees



Syncro-relax mechanism with an extra wide opening angle, lockable in the front position



Design polyamide base black, equipped with braked double-wheel safety castors suitable for carpet floors



Including armrests „T2(OPA)“, height adjustable, with soft arm pads, adjustable in width via screwing



This product has the GS-sign from Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours.

Open Base 10



Model	Item no.		
Aluminium base alu silver with armrests "T2(OPA)", height adjustable, item no.: 7090 CHR	J470T		
Aluminium base polished with armrests "T2(OPA)" height adjustable, item no.: 7090 CHR	J490T		

OPTIONS Hard floor castors big, item no. 6990 / Foot glides big, item no. 6990-2

Fabrics

Backrest in mesh, colour matching to the seat:
 S01, S03, S04, S05, S07, S14, S18 (Wear layer: 100% PU / Ground fabric: 65% PES, 30% CO, 5% CV)
 T31, T33, T34, T35, T38 (100% Trevira CS)
 Backrest in black mesh, seat:
 T20, T21, T22, T23, T26, T27 (100% Trevira CS)
 S10, S12, S13, S16 (Wear layer: 100% PU / Ground fabric: 65% PES, 30% CO, 5% CV)
 A80 (genuine leather)

Dimensions

Seat height: 43-52 cm
 Seat width: 48 cm
 Seat depth: 50 cm
 Backrest height: 55 cm
 Total height: 98-107 cm

Technical data

Weight: approx. 14-17 kg
 Unit: 1/carton
 Pallet quantity: 8/pallet



Swivel chair in mesh design



Seat height adjustable in various positions by safety gaslift



Mesh backrest with integrated Body-Balance-Tec® joint and height-adjustable lumbar support



Comfortable moulded seat with bolster for knees



Syncro Relax Mechanism with extra wide opening angle, lockable in the front position



Height adjustable armrests "T2(OPA)"



Design aluminium base alu silver coated or against surcharge polished, equipped with braked double-wheel safety castors suitable for carpet floors



This product has the GS-sign from Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Light Star 30



Model	Item no.		
Polyamide base black with armrests „G3“, height adjustable, seat depth adjustment	LS30WG		
Aluminium base polished with armrests „G3“, height adjustable, seat depth adjustment	LS39WG		

OPTIONS Hard floor castors GAP, item no.: 6990-3 / Foot glides, item no. 6988

Fabrics

Fabric group: G (100% polypropylene)

Fabric group: T (100% Trevira CS)

Dimensions

Seat height:	41-53 cm
Seat width:	48 cm
Seat depth:	48 – 54 cm
Backrest height:	58 cm
Total height:	122-142 cm

Technical data

Weight:	approx. 20,0 kg
Unit:	1/carton
Pallet quantity:	10/pallet



Classical comfort swivel chair




Seat height adjustable in various positions by safety gaslift




Ergonomic high backrest, with integrated lumbar support, height adjustable via "up and down system"



Convenient flat seat with bolster for knees, including seat depth adjustment for an optimal adaption to the single body height




Point-synchro-mechanism, tension individually adjustable to the body weight and lockable in various positions



Polyamide base black or aluminium base polished, equipped with braked double wheel safety castors suitable for carpet floors



Including multifunctional armrests „G3“, height adjustable and via quick-locking handwheel adjustable in width, including depth adjustable soft armpads



Including height adjustable and inclinable headrest



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max.using time / day 8 hours

Light Star 20



Model	Item no.		
Aluminium base polished without seat depth adjustment			
without armrests	LS2900		
with armrests „R(OPA)“ item no.: 7085	LS290R		
with armrests „T2(OPA)“ height adjustable item no.: 7090 CHR	LS290T		
Aluminium base polished with seat depth adjustment			
without armrests, with seat depth adjustment	LS29W0		
with armrests „G3“, height adjustable, item no.: 7105	LS29WG		

OPTIONS Hard floor castors, item no.6990-3 / Foot glides, item no. 6988

Fabrics

Fabric group: G (100% polypropylene)

Fabric group: T (100% Trevira CS)

Dimensions

Seat height: 41-53 cm
Seat width: 48 cm
Seat depth: 48-54 cm
Backrest height: 58 cm
Total height: 102-122 cm

Technical data

Weight: approx. 17,0-23,0
Unit: 1/carton
Pallet quantity: 10/pallet



Classical comfort and functions swivel chair



Seat height adjustable in various positions by safety gaslift




Ergonomic high backrest, with integrated lumbar support, height adjustable via "up and down system"



Convenient flat seat with bolster for knees



Point-synchro-mechanism, tension individually adjustable to the body weight and lockable in various positions



Aluminium base polished, equipped with braked double wheel safety castors suitable for carpet floors



Optional: seat depth adjustment for the optimal adaption to the single body height



FEATURE

Optional ring armrests "R(OPA)", height adjustable armrests "T2(OPA)" or multifunctional armrests "G3"



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110kg | Max.using time / day 8 hours

Light Star 20



Model	Item no.		
Polyamide base black without seat depth adjustment			
without armrests	LS2000		
with armrests „R(OPA)“ 7085	LS200R		
with armrests „T2(OPA)“ height adjustable 7090 CHR	LS200T		
Polyamide base black with seat depth adjustment			
without armrests, with seat depth adjustment	LS20W0		
with armrests „G3“, height adjustable, item no.:7105	LS20WG		
OPTIONS Hard floor castors, item no. 6990-3 / Foot glides, item no.6988			

Fabrics

Fabric group: G (100% polypropylene)

Fabric group: T (100% Trevira CS)

Dimensions

Seat height:	41-53 cm
Seat width:	48 cm
Seat depth:	48-54 cm
Backrest height:	58 cm
Total height:	102-122 cm

Technical data

Weight:	approx. 17,0-23,0 kg
Unit:	1/carton
Pallet quantity:	10/pallet



Classical comfort and functions swivel chair



Seat height adjustable in various positions by safety gaslift




Ergonomic high backrest, with integrated lumbar support, height adjustable via "up and down system"



Convenient flat seat with bolster for knees



Point-synchro-mechanism, tension individually adjustable to the body weight and lockable in various positions



Polyamide base black, equipped with braked double-wheel safety castors for carpet floors



Optional: seat depth adjustment for the optimal adaption to the single body height



FEATURE

Optional ring armrests "R(OPA)", height adjustable armrests "T2(OPA)" or multifunctional armrests "G3"



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max.using time / day 8 hours

Light Star 10









Model	Item no.		
Aluminium base polished without seat depth adjustment			
without armrests	LS1900		
with armrests „R(OPA)“ item no.: 7085	LS190R		
with armrests „T2(OPA)“ height adjustable item no.: 7090 CHR	LS190T		
Aluminium base polished with seat depth adjustment			
without armrests, with seat depth adjustment	LS19W0		
with armrests „G3“, height adjustable item no.: 7105	LS19WG		

OPTIONS Hard floor castors item no.6990-3 / Foot glides item no.6988

Fabrics	Dimensions	Technical data
Fabric group: G (100% polypropylene)	Seat height: 41-53 cm	Weight : approx. 16,0 -21,0 kg
Fabric group: T (100% Trevira CS)	Seat width: 48 cm	Unit: 1/carton
	Seat depth: 48-54 cm	Pallet quantity: 10/pallet
	Backrest height: 48 cm	
	Total height: 92-112 cm	



Classical comfort and functions swivel chair

	Seat height adjustable in various positions by safety gaslift
	Ergonomic medium backrest, with integrated lumbar support, height adjustable via "up and down system"
	Convenient flat seat with bolster for knees
	Point-synchro-mechanism, tension individually adjustable to the body weight and lockable in various positions
	Aluminium base polished, equipped with braked double wheel safety castors suitable for carpet floors
	Optional: seat depth adjustment for the optimal adaption to the single body height
FEATURE	Optional ring armrests "R(OPA)", height adjustable armrests "T2(OPA)" or multifunctional armrests "G3"



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max.using time / day 8 hours

Light Star 10



Model	Item no.		
Polyamide base black without seat depth adjustment			
without armrests	LS1000		
with armrests „R(OPA)“ item no.: 7085	LS100R		
with armrests „T2(OPA)“ height adjustable, 7090 CHR	LS100T		
Polyamide base black with seat depth adjustment			
without armrests, with seat depth adjustment	LS10W0		
with armrests „G3“, height adjustable, item no.: 7105	LS10WG		
OPTIONS Hard floor castors GAP item no. 6990-3 / Foot glides item no.6988-			

Fabrics

Fabric group: G (100% polypropylene)
Fabric group: T (100% Trevira CS)

Dimensions

Seat height: 41-53 cm
Seat width: 48 cm
Seat depth: 48-54 cm
Backrest height: 48 cm
Total height: 92-112 cm

Technical data

Weight : approx. 16,0 -21,0 kg
Unit : 1/carton
Pallet quantity : 10/pallet



Classical comfort and functions swivel chair



Seat height adjustable in various positions by safety gaslift



Ergonomic medium backrest, with integrated lumbar support, height adjustable via "up and down system"



Convenient flat seat with bolster for knees



Point-synchro-mechanism, tension individually adjustable to the body weight and lockable in various positions



Polyamide base black, equipped with braked double wheel safety castors suitable for carpet floors



Optional: seat depth adjustment for the optimal adaption to the single body height



Optional ring armrests "R(OPA)", height adjustable armrests "T2(OPA)" or multifunctional armrests "G3"



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max.using time / day 8 hours

Soft Pro 110



Model	Item no.		
Polyamide base black			
without armrests	NN5000		
with armrests „TW1“ height adjustable, item no. 7146	NN50T		
with armrests „S2“ height adjustable, item no. 7133 CHR	NN50S		
Aluminium base polished			
without armrests	NN5900		
with armrests „TW1“ height adjustable, item no. 7146	NN590T		
with armrests „S2“ height adjustable, item no. 7133 CHR	NN59S		

OPTIONS Hard floor castors big, item no. 6990 / Foot glides high, item no. 6990-2 / Headrest upholstered, item no. 10034T..

Fabrics

Fabric group: T (100% Trevira CS)

Dimensions

Seat height:	42-50 cm
Seat width:	48 cm
Seat depth:	42-48 cm
Backrest height:	60-65 cm
Total height:	113-118 cm

Technical data

Weight:	approx. 18 kg
Unit :	1/carton
Pallet quantity:	8/pallet



Modern syncro swivel chair



Seat height adjustable in various positions by safety gaslift




Comfortable moulded seat with ergonomically shaped bolster for knees (without seat cover), seat depth adjustment (sliding seat) for increasing or reducing the seat depth



Backrest covered with laminated, stitched fabric, adjustable in height via button




New point syncro mechanism, for the synchronously adjustment of the seat and backrest angle – spring tension individually adjustable to the body weight, lockable in various positions, supports the back in an optimal way.



New designed black polyamide base or polished aluminium base, equipped with braked double wheel safety castors for carpet floors



Optionally available: armrests „TW1“ or „S2“, both height adjustable



Optionally available: multifunctional headrest, adjustable in height and angle according to the individual user (please put a "X" behind the item no.)



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max.using time / day 8 hours

Soft Pro 100



Model	Item no.		
Polyamide base black			
without armrests	NN400		
with armrests „R2(NP1)“ black, item no: 7145	NN40R		
with armrests „TW1“ black, height adjustable, item no. 7142	NN40T		
with armrests „S2(NP1)“ height adjustable item no: 7141 CHR	NN40S		
Aluminium base polished			
without armrests	NN490		
with armrests „TW1“ black, height adjustable, item no. 7142	NN49T		
with armrests „S2(NP1)“ height adjustable item no: 7141 CHR	NN49S		

OPTIONS Hard floor castors big, item no. 6990 / Foot glides high, item no. 6990-2 / Headrest upholstered, item no. 10034T..

Fabrics

Fabric group: T (100% Trevira CS)

Dimensions

Seat height:	45-55 cm
Seat width:	45 cm
Seat depth:	46 cm
Backrest height:	65 cm
Total height:	107-120 cm

Technical data

Weight:	approx. 17 kg
Unit :	1/carton
Pallet quantity:	8/pallet



Modern syncro swivel chair



Seat height adjustable in various positions by safety gaslift




Intervertebral disc seat with ergonomically shaped bolster for knees – for a healthy seating!



Backrest covered with laminated, stitched fabric, adjustable in height via button




New point syncro mechanism, for the synchronously adjustment of the seat and backrest angle – spring tension individually adjustable to the body weight, lockable in various positions, supports the back in an optimal way.



New designed black polyamide base or polished aluminium base, equipped with braked double wheel safety castors for carpet floors



Optionally available: armrests „R2“ (with a black polyamide base), „TW1“ or „S2“, both height adjustable



Optionally available: multifunctional headrest, adjustable in height and angle according to the individual user (please put a „X“ behind the item no.)



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max.using time / day 8 hours

Net Pro 110



Model	Item no.		
Polyamide base black			
without armrests	NN200		
with armrests „TW1“ height adjustable, item no. 7146	NN20T		
with armrests „S2“ height adjustable, item no. 7133 CHR	NN20S		
Aluminium base polished			
without armrests	NN290		
with armrests „TW1“ height adjustable, item no. 7146	NN29T		
with armrests „S2“ height adjustable, item no. 7133 CHR	NN29S		

OPTIONS Hard floor castors big, item no. 6990 / Foot glides high, item no. 6990-2 / Headrest mesh, item no. 10034B9.

Fabrics

Seat: „T20“ black (100% Trevira CS)
Mesh: B90-99 (blue T208, green T205, red T201, black T200, white T203)

Dimensions

Seat height: 42-50 cm
Seat width: 48 cm
Seat depth: 42-48 cm
Backrest height: 60-65 cm
Total height: 113-118 cm

Technical data

Weight: approx. 18 kg
Unit : 1/carton
Pallet quantity: 8/pallet




Modern syncro swivel chair in a trendy mesh style



Seat height adjustable in various positions by safety gaslift




Comfortable moulded seat with ergonomically shaped bolster for knees (without seat cover), seat depth adjustment (sliding seat) for increasing or reducing the seat depth



Backrest with breathable mesh cover for a comfortable climate in the back, adjustable in height via button




New point syncro mechanism, for the synchronously adjustment of the seat and backrest angle – spring tension individually adjustable to the body weight, lockable in various positions, supports the back in an optimal way.



New designed black polyamide base or polished aluminium base, equipped with braked double wheel safety castors for carpet floors



Optionally available: armrests „TW1“ or „S2“, both height adjustable



Optionally available: multifunctional headrest, adjustable in height and angle according to the individual user (please put a „X“ behind the item no.)



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max.using time / day 8 hours

Net Pro 100



Model	Item no.		
Polyamide base black			
without armrests	NN100		
with armrests „R2(NP1)“ black, item no: 7145	NN10R		
with armrests „TW1“ black, height adjustable, item no. 7142	NN10T		
with armrests „S2(NP1)“ height adjustable, item no: 7141 CHR	NN10S		
Aluminium base polished			
without armrests	NN190		
with armrests „TW1“ black, height adjustable, item no. 7142	NN19T		
with armrests „S2(NP1)“ height adjustable, item no: 7141 CHR	NN19S		

OPTIONS Hard floor castors big, item no. 6990 / Foot glides high, item no. 6990-2 / Headrest mesh, item no. 10034B9.

Fabrics

Seat: „T20“ black / 100% Trevira CS
Mesh: B90-99 (blue T208, green T205, red T201, black T200, white T203)

Dimensions

Seat height: 45-55 cm
Seat width: 45 cm
Seat depth: approx. 50 cm
Backrest height: 65 cm
Total height: 107-120 cm

Technical data

Weight: approx. 17 kg
Unit : 1/carton
Pallet quantity: 8/pallet



Modern syncro swivel chair in a trendy mesh style

	Seat height adjustable in various positions by safety gaslift
	Intervertebral disc seat with ergonomically shaped bolster for knees – for a healthy seating!
	Backrest with breathable mesh cover for a comfortable climate in the back, adjustable in height via button
	New point syncro mechanism, for the synchronously adjustment of the seat and backrest angle – spring tension individually adjustable to the body weight, lockable in various positions, supports the back in an optimal way.
	New designed black polyamide base or polished aluminium base, equipped with braked double wheel safety castors for carpet floors
	Optionally available: armrests „R2“ (with a black polyamide base), „TW1“ or „S2“, both height adjustable
	Optionally available: multifunctional headrest, adjustable in height and angle according to the individual user (please put a „X“ behind the item no.)



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max. using time / day 8 hours

X-Pander Plus



Model	Item no.		
Polyamide base black			
without armrests	950W0T		
with armrests „G3“ - height, width and depth adjustable	950WGT		
item no.: 7105			
Aluminium base polished			
without armrests	959W0T		
with armrests „G3“ - height, width and depth adjustable	959WGT		
item no.: 7105			

OPTIONS Hard floor castors, item no. 6991 (with black base) / Hard floor castors GAP, item no. 6990-3 (with alu base) / Foot glides, item no. 6988

Fabrics

Backrest mesh B90 black (100% Polyester)
Seat (item code): T20 (T200), T31 (T310), T33 (T330), T34 (T340), T38 (T380))
Backrest mesh B93 white (100% Polyester)
Seat (item code): T20 (T203), T33 (T333), T35 (T353) (100% Trevira CS)

Dimensions

Seat height: 41 – 53 cm
Seat width: 48 cm
Seat depth: 48 – 54 cm
Backrest height: 60 cm
Total height: 96-114 cm

Technical data

Weight: approx. 24 kg
Unit: 1/carton
Pallet quantity: 10/pallet



Design swivel chair in mesh style



Seat height adjustable in various positions by safety gaslift



Backrest with breathable mesh cover, with elastic tapes at the rear side, height adjustable via „up-and-down“-system



Convenient flat seat with comfortable bolster for knees



Incl. sliding seat



Point-synchro mechanism, spring tension individually adjustable to the body weight, lockable in several positions



Black polyamide base or polished aluminium base, equipped with braked double wheel safety castors for carpet floors



This product has the GS-sign from Intertek in Fuerth and complies to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours

X-Pander



Model	Item no.		
Polyamide base black			
without armrests	9500		
with armrests „T2(OPA)“ chromed, height adjustable, item no.: 7090 CHR	950T		
Aluminium base polished			
without armrests	9590		
with armrests „T2(OPA)“ chromed, height adjustable, item no.: 7090 CHR	959T		

OPTIONS Hard floor castors GAP, item no. 6990-3 / Foot glides, item no. 6988

Fabrics

Backrest mesh B90 black, seat (item code):
T20 (T200), T31 (T310), T33 (T330), T34 (T340), T38 (T380)
Backrest mesh B93 white, seat (item code):
T20 (T203), T33 (T333), T35 (T353)
(100% Trevira CS)

Dimensions

Seat height: 41-53 cm
Seat width: 48 cm
Seat depth: 48 cm
Backrest height: 60 cm
Total height: 96-114 cm

Technical data

Weight: approx. 16-19 kg
Unit: 1/carton
Pallet quantity: 10/pallet



Design swivel chair in mesh style



Seat height adjustable in various positions by safety gaslift




Backrest with breathable mesh cover, with elastic tapes at the rear side, height adjustable via „up-and-down“-system



Convenient flat seat with comfortable bolster for knees



Point-synchro mechanism, spring tension individually adjustable to the body weight, lockable in several positions



Black polyamide base or polished aluminium base, equipped with braked double wheel safety castors for carpet floors



This product has the GS-sign from Intertek in Fuerth and complies to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Open X Deluxe (P)

with sliding seat



Model	Item no.		
Polyamide base black, with sliding seat			
without armrests	OX50W0		
with armrests „TW1“, item no. 7111	OX50WTW1		
with armrests „TW2“, item no. 7157	OX50WTW2		
with armrests „TW3“, item no. 7161	OX50WTW3		
Aluminum base polished, with sliding seat			
without armrests	OX59W0		
with armrests „TW1“, item no. 7111	OX59WTW1		
with armrests „TW2“, item no. 7157	OX59WTW2		
with armrests „TW3“, item no. 7161	OX59WTW3		
OPTIONS Hard floor castors big, item no. 6990 / Foot glides high, item no. 6990-2			

Fabrics

Seat: T20 / T22 / T23 / T26 (100% Trevira CS)
Backrest laminated: T20SS / T22SS / T23SS / T26SS
(100% Trevira CS)

Seat and backrest laminated:
Fabric group: BJ (100% polyester)

Dimensions

Seat height: 42-57 cm
Seat width: 47 cm
Seat depth: 47 – 53 cm
Backrest height: 58 cm
Total height: 106-128 cm
Total depth: 56 cm

Technical data

Weight: approx. 18,2 kg
Unit: 1/carton
Pallet quantity: 10/pallet



Modern trendy office chair with open backrest shell



Seat height adjustable in various positions by safety gaslift



Newly designed backrest « Window », covered with laminated upholstery which provides a pleasant „fool-good climate“ at the back




Backrest height adjustable for an optimal adaption to the body size



Special pelvic seat for an optimal support of the pelvic area, with rounded front edge (bolster for knees), with seat depth adjustment approx. 6 cm (sliding seat)



New synchro-mechanism with extra wide opening angle, for the synchronous adjustment of the seat- and backrest angle - seat and backrest follow the body movements, tension individually adjustable to the body weight, lockable in various positions



Extra large and solid polyamide base black or aluminium base polished, equipped with braked double-wheel safety castors suitable for carpet floors



Optional: height adjustable armrests „TW1“, „TW2“ or „TW3“



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Open X Deluxe (P)

without sliding seat



Model	Item no.		
Polyamide base black, without sliding seat			
without armrests	OX5000		
with armrests „TW1“, item no. 7111	OX500TW1		
with armrests „TW2“, item no. 7157	OX500TW2		
with armrests „TW3“, item no. 7161	OX500TW3		
Aluminum base polished, without sliding seat			
without armrests	OX5900		
with armrests „TW1“, item no. 7111	OX590TW1		
with armrests „TW2“, item no. 7157	OX590TW2		
with armrests „TW3“, item no. 7161	OX590TW3		
OPTIONS Hard floor castors big, item no. 6990 / Foot glides high, item no. 6990-2			

Fabrics

Seat: T20 / T22 / T23 / T26 (100% Trevira CS)
Backrest laminated: T20SS / T22SS / T23SS / T26SS
(100% Trevira CS)

Seat and backrest laminated:
Fabric group: BJ (100% polyester)

Dimensions

Seat height: 42-57 cm
Seat width: 47 cm
Seat depth: 47 cm
Backrest height: 58 cm
Total height: 106-128 cm
Total depth: 56 cm

Technical data

Weight: approx. 18,2 kg
Unit: 1/carton
Pallet quantity: 10/pallet



Modern trendy office chair with open backrest shell



Seat height adjustable in various positions by safety gaslift




Newly designed backrest « Window » covered with laminated upholstery which provides a pleasant „fool-good climate“ at the back




Backrest height adjustable for an optimal adaption to the body size



Special pelvic seat for an optimal support of the pelvic area, with rounded front edge (bolster for knees)



New synchro-mechanism with extra wide opening angle, for the synchronous adjustment of the seat- and backrest angle - seat and backrest follow the body movements, tension individually adjustable to the body weight, lockable in various positions



Extra large and solid polyamide base black or aluminium base polished, equipped with braked double-wheel safety castors suitable for carpet floors



Optional: height adjustable armrests „TW1“, „TW2“ or „TW3“



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Open X Deluxe (N)

with sliding seat



Model	Item no.		
Polyamide base black, with sliding seat			
without armrests	OX20W0		
with armrests „TW1“, item no. 7111	OX20WTW1		
with armrests „TW2“, item no. 7157	OX20WTW2		
with armrests „TW3“, item no. 7161	OX20WTW3		
Aluminum base polished, with sliding seat			
without armrests	OX29W0		
with armrests „TW1“, item no. 7111	OX29WTW1		
with armrests „TW2“, item no. 7157	OX29WTW2		
with armrests „TW3“, item no. 7161	OX29WTW3		
OPTIONS Hard floor castors big, item no. 6990 / Foot glides high, item no. 6990-2			

Fabrics

Seat: fabric group T (100% Trevira CS)
Backrest: mesh BS0 black or BS3 white

Seat: fabric group BJ (100% polyester)
Backrest: mesh BS0 black or BS3 white

Dimensions

Seat height: 42-57 cm
Seat width: 47 cm
Seat depth: 47 – 53 cm
Backrest height: 58 cm
Total height: 106-128 cm
Total depth: 56 cm

Technical data


Weight: approx. 18,2 kg
Unit: 1/carton
Pallet quantity: 10/pallet



Modern trendy office chair with open backrest shell



Seat height adjustable in various positions by safety gaslift



Newly designed backrest « Window » with breathable mesh cover which provides a pleasant „fool-good climate“ at the back




Backrest height adjustable for an optimal adaption to the body size



Special pelvic seat for an optimal support of the pelvic area, with rounded front edge (bolster for knees), with seat depth adjustment approx. 6 cm (sliding seat)



New synchro-mechanism with extra wide opening angle, for the synchronous adjustment of the seat- and backrest angle - seat and backrest follow the body movements, tension individually adjustable to the body weight, lockable in various positions



Extra large and solid polyamide base black or aluminium base polished, equipped with braked double-wheel safety castors suitable for carpet floors



Optional: height adjustable armrests „TW1“, „TW2“ or „TW3“



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. unser weight 110 kg | Max. using time / day 8 hours

Open X Deluxe (N)

without sliding seat



Model	Item no.		
Polyamide base black, without sliding seat			
without armrests	OX2000		
with armrests „TW1“, item no. 7111	OX200TW1		
with armrests „TW2“, item no. 7157	OX200TW2		
with armrests „TW3“, item no. 7161	OX200TW3		
Aluminum base polished, without sliding seat			
without armrests	OX2900		
with armrests „TW1“, item no. 7111	OX290TW1		
with armrests „TW2“, item no. 7157	OX290TW2		
with armrests „TW3“, item no. 7161	OX290TW3		
OPTIONS Hard floor castors big, item no. 6990 / Foot glides high, item no. 6990-2			

Fabrics

Seat: fabric group T (100% Trevira CS)
Backrest: mesh BS0 black or BS3 white

Seat: fabric group BJ (100% polyester)
Backrest: mesh BS0 black or BS3 white

Dimensions

Seat height: 42-57 cm
Seat width: 47 cm
Seat depth: 47 cm
Backrest height: 58 cm
Total height: 106-128 cm
Total depth: 56 cm

Technical data


Weight: approx. 18,2 kg
Unit: 1/carton
Pallet quantity: 10/pallet



Modern trendy office chair with open backrest shell



Seat height adjustable in various positions by safety gaslift



Newly designed backrest « Window » with breathable mesh cover which provides a pleasant „fool-good climate“ at the back




Backrest height adjustable for an optimal adaption to the body size



Special pelvic seat for an optimal support of the pelvic area, with rounded front edge (bolster for knees)



New synchro-mechanism with extra wide opening angle, for the synchronous adjustment of the seat- and backrest angle - seat and backrest follow the body movements, tension individually adjustable to the body weight, lockable in various positions



Extra large and solid polyamide base black or – against surcharge- aluminium base polished, equipped with braked double-wheel safety castors suitable for carpet floors



Optional: height adjustable armrests „TW1“, „TW2“ or „TW3“



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. unser weight 110 kg | Max. using time / day 8 hours

Open X (P)



Model	Item no.		
Polyamide base black			
without armrests	OX4000		
with armrests „P4(OPA)“, item no.: 7126	OX400P		
with armrests „L4(OPA)“, item no.: 7128	OX400L		
Steel base chromed			
without armrests	OX4900		
with armrests „P4(OPA)“, item no.: 7126 CHR	OX490P		
with armrests „L4(OPA)“, item no.: 7128	OX490L		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6988

Fabrics

Seat: T20 / T22 / T23 / T26 (100% Trevira CS)
Backrest laminated: T20SS / T22SS / T23SS / T26SS
(100% Trevira CS)

Dimensions

Seat height: 42-57 cm
Seat width: 48 cm
Seat depth: 48 cm
Backrest height: 58 cm
Total height: 106-128 cm
Total depth: 58 cm

Technical data

Weight: approx. 16,0 kg
Unit: 1/carton
Pallet quantity: 10/pallet



Modern trendy office chair with open backrest shell




Seat height adjustable in various positions by safety gaslift




Newly designed backrest « Window » with laminated upholstery, it provides a pleasant „fool-good climate“ at the back




Backrest height adjustable for an optimal adaption to the body size



Comfortable flat seat with rounded front edge (bolster for knees)



Synchro-mechanism to adjust the seat and backrest angle synchronously, the seat and backrest follow the body movements, tension individually adjustable to the body weight, lockable with safety release



Solid polyamide base black or steel base chromed, equipped with braked double-wheel safety castors suitable for carpet floors



Optional: height adjustable armrests „P4“ or „L4“



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Open X (N)



Model	Item no.		
Polyamide base black			
without armrests	OX1000		
with armrests „P4(OPA)“, item no.: 7126	OX100P		
with armrests „L4(OPA)“, item no.: 7128	OX100L		
Steel base chromed			
without armrests	OX1900		
with armrests „P4(OPA)“, item no.: 7126 CHR	OX190P		
with armrests „L4(OPA)“, item no.: 7128	OX190L		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6988

Fabrics

Seat: Fabric group G (100% polypropylene)
Mesh backrest always BR0 black

Dimensions

Seat height:	42-57 cm
Seat width:	48 cm
Seat depth:	48 cm
Backrest height:	58 cm
Total height:	106-128 cm
Total depth:	58 cm

Technical data


Weight:	approx. 15,9 kg
Unit:	1/carton
Pallet quantity:	10/pallet



Modern trendy office chair with open backrest shell



Seat height adjustable in various positions by safety gaslift



Newly designed backrest « Window » with **breathable mesh cover**, it provides a pleasant „fool-good climate“ at the back




Backrest height adjustable for an optimal adaption to the body size



Comfortable flat seat with rounded front edge (bolster for knees)



Synchro-mechanism to adjust the seat and backrest angle synchronously, the seat and backrest follow the body movements, tension individually adjustable to the body weight, lockable with safety release



Solid polyamide base black or steel base chromed, equipped with braked double-wheel safety castors suitable for carpet floors



Optional: height adjustable armrests „P4“ or „L4“



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours.

Alu Star Basic



Model	Item no		
Aluminium base, alusilver-coated			
without armrests	JJ700		
with armrests „K2“, height adjustable; item no.: 7072	JJ70K		
Aluminium base, polished			
without armrests	JJ900		
with armrests „R(P)“ black; item no.: 7055 P	JJ90R		
with armrests „K2“, height adjustable; item no.: 7072	JJ90K		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6988

Fabrics

Fabric group: G (100% polypropylene)

Against surcharge:

Fabric group: T (100% Trevira CS)

Dimensions

Seat height:	42-55 cm
Seat width:	47 cm
Seat depth:	46 cm
Backrest height:	58 cm
Total height:	101-113 cm

Technical data

Weight:	approx. 15-20 kg
Unit:	1/carton
Pallet quantity:	10/pallet



Comfort swivel chair in aluminium style




Seat height adjustable in various positions by safety gaslift



Backrest with integrated, height adjustable lumbar support and aluminium clasp as connection to the seat




Backrest including coat hanger



Convenient special-orthoseat, ergonomically formed



Point-synchro-mechanism, tension individually adjustable to the body weight and lockable in different positions



Aluminium base, optional available in polished aluminium or alusilver-coated, with braked double-wheel safety castors suitable for carpet floors



This product has the GS-sign of Intertek in Fuerth and complies to all security requirements

Max. User height 1,92 m | Max. User weight 110 kg | Max. Using time / day 8 hours.

Air Syncro



Model	Item no.		
-------	----------	--	--

Aluminium base, polished

with armrests "T2(OPA)" height adjustable, item no.: 7090 CHR

SN590T

OPTIONS Hard floor castors big, item no.6990 / Foot glides, item no. 6990-2

Fabric

Backrest always in black mesh B90 (100% polyester),
Seat: fabric group T (100%Trevira CS)

Dimensions

Seat height:	41-53 cm
Seat width:	50 cm
Seat depth:	46 cm
Backrest height:	57 cm
Total height:	83-95 cm

Technical data

Weight:	approx. 20 kg
Unit:	1/carton
Pallet quantity:	8/pallet




High-quality "Pro-Office" swivel chair




Seat height adjustable in various positions by safety gaslift



Convenient flat seat with comfortable bolster for knees




High mesh backrest with additionally padded side parts, height adjustable via "up-and-down" system



Point-synchro mechanism, tension individual adjustable on the single body weight, lockable in various positions



Including height-adjustable armrests "T2(OPA)", with soft armrest pad



Polished aluminium base equipped with braked double wheel safety castors for carpet floors



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max.using time / day 8 hours

P91



Model	Item no.		
-------	----------	--	--

Aluminium base polished
with armrests „G3“, item no. 7105

PI99G

OPTIONS Hard floor castors GAP, item no. 6990-3 / Foot glides, item no. 6988

Fabrics

Fabric group: BC (100% polyester)

Dimensions

Seat height: 43-51 cm
Seat width: 48 cm
Seat depth: 48 – 54 cm
Backrest height: 60 cm
Total height: 103-111 cm

Technical data

Weight: approx. 16,0 kg
Unit: 1/carton
Pallet quantity: 8/pallet



Professional office chair with multi-functional features



Seat height adjustable in various positions by safety gaslift



High orthopedic contoured backrest adjustable in height, with side padding for fixing the back



Extra big and wide contoured seat with side padding to achieve optimum support in the pelvic area



FEATURE


Special moulded foam provides extra comfort and ensures fatigue-free sitting



Seat depth adjustment – Sliding seat for the regulation of the seat depth



Point synchro mechanism for the synchronously adjustment of the seat and backrest angle, spring tension individual adjustable on the body weight, lockable in various positions



Polished aluminum base equipped with braked double wheel safety castors suitable for hard floors



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user size 1,92 m | Max. user weight 110 kg | Max. using time per day 8 hours

New Workart



Model	Item no.		
Polyamide base black with armrests „T2“ CHR height adjustable, item no.: 7090 CHR	NW00T		
Aluminium base polished with armrests „A1“ (OPA) item no.: 7102 CHR	NW90A		

OPTIONS Hard floor castors big, item no.: 6990 / Foot glides, item no.: 6990-2

Fabric

Fabric group: W (56% polyester, 44% polypropylene)

Dimensions

Seat height:	42-55 cm
Seat width:	48 cm
Seat depth:	48 cm
Backrest height:	58 cm
Total height:	100-113 cm

Technical data

Weight:	approx. 19 kg
Unit:	1/carton
Pallet quantity:	8/pallet



Comfortable "Home Office" swivel chair



Seat height adjustable in various positions by safety gaslift

FEATURE


High, ergonomically backrest, reverse side of the backrest in the same coloured fabric cover



Convenient flat seat with bolster for knees



Kneematic-tilt-mechanism, tension individual adjustable on the single body weight, lockable in various positions



Decorative and solid polyamide base black or aluminium base polished, equipped with braked double-wheel safety castors suitable for carpet floors



Including height adjustable armrests „T2“, or fixed ring armrests „A1“



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Autosyncron -2



Model	Item no.		
Black plastic components			
Polyamide base black, without armrests	AU200		
Polyamide base black, with armrests	AU200A		
Aluminium base polished, without armrests	AU209		
Aluminium base polished, with armrests	AU209A		
White plastic components			
Polyamide base black, without armrests	AU230		
Polyamide base black, with armrests	AU230A		
Aluminium base polished, without armrests	AU239		
Aluminium base polished, with armrests	AU239A		
OPTIONS Hard floor castors, item no. 6991 (aluminium base) or item no. 6990-3 (polyamide base) / Foot glides, item no. 6988			

Fabrics

B10, B13, B14, B15, B16 (100% polyester)

Backrest rear side:

Black mesh (100 % polyester)

Dimensions

Seat height:	42-55 cm
Seat width:	48 cm
Seat depth:	46 cm
Backrest height:	56 cm
Total height:	100-112 cm

Technical data

Weight:	approx. 11 kg
Unit:	1/carton
Pallet quantity:	12/pallet




Modern swivel chair with new technics and elegant backrest




Seat height adjustable in various positions by safety gaslift



Elegant plastic components available either in black or white (against surcharge)



Upholstered 3D- backrest with breathable mesh cover and groove optics in solid plastic frame, height adjustable lumbar support (plastic) on the rear side



Modern auto-synchro mechanism, for synchronic adjustment of the seat and the backrest angle, automatic tension adjustment due to the individual body weight, lockable in the front position



Ergonomically designed moulded seat



Decorative and solid polyamide base black or aluminium base polished with chromed toplift against additional charge, equipped with braked double-wheel safety castors suitable for carpet floors



Optional with height adjustable armrests (please put a „A“ behind the item no.)



This product has the GS-sign of Intertek in Fuerth and complies in this relation to all security requirements

Max. User height 1,92 m | Max. User weight 110 kg | Max. Using time / day 8 hours

Autosyncron -1



Model	Item no.		
Plastic components black			
Polyamide base black, without armrests	AU1000		
Polyamide base black, with armrests	AU100A		
Aluminium base polished, without armrests	AU1090		
Aluminium base polished, with armrests	AU109A		
Plastic components white			
Polyamide base black, without armrests	AU1300		
Polyamide base black, with armrests	AU130A		
Aluminium base polished, without armrests	AU1390		
Aluminium base polished, with armrests	AU139A		
OPTIONS Hard floor castors, item no. 6991 (alu base) or 6990-3 (black base) / Foot glides, item no. 6988			

Fabrics

Backrest and seat in the same colour:
T20, T31, T33, T34, T35, T38 (100% Trevira CS)

Backrest always in black mesh:
T21, T22, T23, T26, T27 (100% Trevira CS)

Dimensions

Seat height: 42-55 cm
Seat width: 48 cm
Seat depth: 46 cm
Backrest height: 56 cm
Total height: 100-112 cm

Technical data

Weight: approx. 10-12 kg
Unit: 1/carton
Pallet quantity: 12/pallet



Swivel chair with new technics and elegant mesh backrest




Seat height adjustable in various positions by safety gaslift



Elegant plastic components, in black or white (against surcharge)



Backrest with breathable mesh cover and solid plastic frame, height adjustable lumbar support on the rear side, made of plastic



Modern auto-synchro mechanism, for synchronic adjustment of the seat and the backrest angle, automatic tension adjustment due to the individual body weight, lockable in the front position



Ergonomically shaped moulded seat



Decorative and solid polyamide base black or aluminium polished with chromed toplift against additional charge, equipped with braked double-wheel safety castors suitable for carpet floors



Optional with height adjustable armrests (please put a „A“ behind the Item no.)



This product has the GS-sign from Intertek in Fuerth and complies in this relation to all security requirements

Max. User height 1,92 m | Max. User weight 110 kg | Max. Using time / day 8 hours.

Syncro Soft



Model	Item no.		
Polyamide base black			
without armrests	SN300		
incl. armrests „H1“, height adjustable, item no. 7111	SN30H		
Polyamide base black			
Incl. seat depth and – angle adjustment			
without armrests	SN400		
incl. armrests „H1“, height adjustable, item no. 7111	SN40H		

OPTIONS Hard floor castors big, item no. 6990 / Foot glides, item no. 6990-2

Fabrics

Fabric group: T (100% Trevira CS)

Fabric group: W (100% polyester)

Dimensions

Seat height:	43-51 cm
Seat width:	48 cm
Seat depth:	48-54 cm
Backrest height:	65-71 cm
Total height:	108-122 cm

Technical data

Weight:	approx. 19 kg
Unit:	1/carton
Pallet quantity:	8/pallet



Modern swivel chair with lumbar support in a trendy design



Seat height adjustable in various positions by safety gaslift




Backrest covered with laminated, stitched fabric, on the rear side with elastic tapes; height adjustable via „up and down system“



Comfortable intervertebral discs seat with bolster for knees



Point-syncro-mechanism, tension individually adjustable to the body weight



Black polyamide base, equipped with braked double-wheel safety castors suitable for carpets



Option: height adjustable armrests „H1“, with soft armpads



This product has the GS-sign of Intertek in Fuerth and complies in this relation to all security requirements

Max. User height 1,92 m | Max. User weight 110 kg | Max. Using time /day 8 hours

Syncro Net



Model	Item no.		
Polyamide base black			
without armrests	SN100		
with armrests „H1 “ height adjustable, item no.: 7111	SN10H		
Polyamide base black			
Including seat depth- and seat angle adjustment			
without armrests	SN200		
with armrests „H1 “, height adjustable, item no.: 7111	SN20H		

OPTIONS Hard floor castors big, item no. 6990 / Foot glides high, item no. 6990-2

Fabrics

Backrest in mesh fabric black
Seat :
Fabric group: W (100% polyester)
Fabric group: T (100% Trevira CS)

Dimensions

Seat height: 43-51 cm
Seat width: 48 cm
Seat depth: 48-54 cm
Backrest height: 65-71 cm
Total height: 108-122 cm

Technical data


Weight: approx. 19 kg
Unit: 1/carton
Pallet quantity: 8/pallet



Swivel chair with lumbar support in trendy mesh design



Seat height adjustable in various positions by safety gaslift



High backrest with breathable mesh cover, height adjustable via „up and down system“



Convenient intervertebral discs seat with comfortable bolster for knees



Point-syncro mechanism, spring tension individually adjustable to the body weight



Polyamide base black with braked double-wheel safety castors suitable for carpet floors




Option: height adjustable armrests „H1 “, with soft armpads



This product has the GS-sign of the Intertek Fürth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Art Comfort



Model	Item no.		
-------	----------	--	--

Polyamide base black

without headrest:

without armrests

SP800

incl. armrests "TW1" black, height adjustable item no. 7146

SP80TW

incl. armrests "S2(OPA)", height adjustable item no. 7133 CHR

SP80S

with headrest:

without armrests

SP800 ...X

incl. armrests "TW1" black, height adjustable item no. 7146

SP80TW ...X

incl. armrests "S2(OPA)", height adjustable item no. 7133 CHR

SP80S ...X

OPTIONS Hard floor castors big, item no. 6990 / Foot glides, item no. 6990-2

Fabrics

Fabric group: T (100% Trevira CS)

Dimensions

Seat height:	42 – 55 cm
Seat width:	50 cm
Seat depth:	48 cm
Backrest height:	60 cm
Headrest height:	20 - 28 cm
Total height:	107 - 120 cm

Technical data

Weight:	approx. 16 kg
Unit:	1/carton
Pallet quantity:	8/pallet



Comfortable swivel chair with innerspring cushion



Seat height adjustable in various positions by safety gaslift, with integrated mechanical depth spring for an extra suspension comfort




Extra soft backrest, with added soft-sandwich-upholstery for an optimum back support, height adjustable and lockable in various positions




Extra convenient moulded seat with integrated innerspring cushion (36 barrel springs), provides the highest level of seating comfort



Synchro-mechanism to adjust the seat- and backrest angle synchronously, tension individually adjustable to the body weight and lockable in various positions



Decorative and solid black polyamide base, equipped with braked double-wheel safety castors suitable for carpet floors



Optional: ind. height adjustable headrest



Optional: incl. height adjustable armrests "TW1" or "S2"



This product has the GS-sign of Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Head Point RS



Model	Item no.		
Polyamide base black including armrests „P4“, item no.: 7127, without headrest Including armrests „P4“; item no.: 7127, with headrest	HE30P HE30P...X		

OPTIONS Hard floor castors GAP, item no. 6990-3 / Foot glides, item no. 6988 / Headrest upholstered, item no. 100375...

Fabrics

S100 black – black
S033 white - grey
S103 black – grey
S105 black – green
S100R black – black (with red decorative stitching)
(Wear layer: 100% PU / Ground fabric: 65% PES, 30% CO, 5% CV)

Dimensions

Seat height: 42-53 cm
Seat width: 50 cm
Seat depth: 47 cm
Backrest height: 63 cm
Headrest: 20-28 cm
Total height: 121-150 cm

Technical data


Weight: approx. 19,0 kg
Unit: 1/carton
Pallet quantity: 8/pallet



Sporty office swivel chair in a sports seat style



Seat height adjustable in various positions by safety gaslift



Optional:
Multifunctional headrest, adjustable in height and angle according to the individual user (please put a „X“ behind the item no.)



Ergonomic, contour shaped backrest height adjustable via ratchet mechanism with integrated lumbar support, bicoloured upholstery, high quality quilted




Comfortable XXL moulded seat in bucket seat style and convenient bolster for knees



Point synchro mechanism for the adjustment of the seat and backrest angle, body weight individual adjustable and lockable in several positions



Including height adjustable armrest „P4“ black with softpads



New design polyamide base black, equipped with braked double wheel safety castors suitable for carpet floors



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user size 1,92 m | Max. user weight 110 kg | Max. using time per day 8 hours

Head Point SY



Model	Item no.		
Polyamide base black			
without armrests	HE200		
with armrests „P4“, item no.: 7127	HE20P		
with armrests „B2“, item no.: 7038	HE20B		

OPTIONS Hard floor castors, item no. 6990 / Foot glides, item no. 6990-2 / Headrest mesh, item no. 10037BU...

Fabrics

Seat always BC0 black

Backrest:

BU0 (BC00), BU1 (BC01), BU3 (BC03), BU5 (BC05), BU6 (BC06), BU8 (BC08), BU9 (BC09)
(100% polyester)

Dimensions

Seat height:	39-51 cm
Seat width:	47 cm
Seat depth:	47 cm
Backrest height:	59 cm
Headrest (optional):	20-28 cm
Total height:	101-113 cm (121-141)

Technical data

Weight:	approx. 16 kg
Unit:	1/carton
Pallet quantity:	8/pallet



Comfort swivel chair with contour shaped mesh backrest



Seat height adjustable in various positions by safety gaslift



Ergonomically contour shaped backrest, height adjustable via raster mechanism with integrated lumbar support




Convenient moulded seat




Point-synchro-mechanism for the synchronously adjustment of the seat- and backrest angle, tension individually adjustable to the body weight and lockable in various positions



Optional:
Height adjustable armrests „P4“ or fixed ring armrests „B2“



Optional:
Multifunctional headrest, adjustable in height and angle according to the individual user (please put a „X“ behind the item no.)



Decorative and solid polyamide base black, equipped with braked double-wheel safety castors suitable for carpet floors



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements

Max. User height 1,92 m | Max. User weight 110 kg | Max. Using time / day 8 hours.

Head Point P



Model	Item no.		
Polyamide base black			
without armrests, without headrest	HE100		
with armrests „P4“, without headrest, item no.: 7127	HE10P		
with armrests „B2“, without headrest, item no.: 7038	HE10B		

OPTIONS Hard floor castors, item no. 6990 / Foot glides, item no. 6990-2 / Headrest mesh, item no. 10037BU...

Fabrics

Seat always BC0 black

Backrest:

BU0 (BC00), BU1 (BC01), BU3 (BC03), BU5 (BC05), BU6 (BC06), BU8 (BC08), BU9 (BC09)
(100% polyester)

Dimensions

Seat height:	39-51 cm
Seat width:	47 cm
Seat depth:	47 cm
Backrest height:	59 cm
Headrest (optional):	20-28 cm
Total height:	101-113 cm (121-141)

Technical data

Weight:	approx. 16 kg
Unit:	1/carton
Pallet quantity:	8/pallet



Comfort swivel chair with contour shaped mesh backrest



Seat height adjustable in various positions by safety gaslift




Ergonomically contour shaped backrest with integrated lumbar support, height adjustable via handwheel




Convenient moulded seat




Permanent-contact-mechanism, adjustable backrest angle, lockable in various positions



Optional:
Height adjustable armrests „P4“ or fixed ring armrests „B2“



Optional:
Multifunctional headrest, adjustable in height and angle according to the individual user (please put a „X“ behind the item no.)



Decorative and solid polyamide base black, equipped with braked double-wheel safety castors suitable for carpet floors



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements

Max. User height 1,92 m | Max. User weight 110 kg | Max. Using time / day 8 hours.

Syncro Pro 5



Model	Item no.		
Polyamide base black			
without armrests	S500		
with armrests „R“, item no.: 7032	S50R		
with armrests „M“, height adjustable item no.: 7033	S50M		
Aluminium base polished			
without armrests	S590		
with armrests „R“, item no.: 7032	S59R		
with armrests „M“, height adjustable item no.: 7033	S59M		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6988 / Schukra add „S“ to the item no.

Fabrics

Fabric group: G (100% polypropylene)
Fabric group: T (100% Trevira CS)
Fabric group: W (100% polyester)

Dimensions

Seat height: 45-55 cm
Seat width: 48 cm
Seat depth: 48 cm
Backrest height: 55 cm
Total height: 100-110 cm

Technical data

Weight: approx. 15 kg
Unit: 1/carton
Pallet quantity: 8/pallet



Classical swivel chair with a new design




Seat height adjustable in various positions by safety gaslift




High backrest with integrated lumbar support, height adjustable via ratchet mechanism



Comfortable intervertebral discs seat for an optimal support of the pelvic area



Point-synchro-mechanism for the synchronous adjustment of the seat- and backrest angle, tension individually adjustable to the body weight



Black polyamide base or polished aluminium base, equipped with braked double-wheel safety castors suitable for carpets



Optionally available: Schukra, individually adjustable lumbar vertebral support



This product has the GS-sign of Intertek in Fuerth and complies to all security requirements

Max. User height 1,92 m | Max. User weight 110 kg | Max. Using time / day 8 hours.

Two 20



Model	Item no.		
Polyamide base black			
without armrests	TF200		
with armrests „R2(OPA)“, item no.: 7135	TF20R		
with armrests „U2(OPA)“ height adjustable, item no. 7107	TF20U		
Steel base chromed			
without armrests	TF290		
with armrests „R2(OPA)“, item no.: 7135	TF29R		
with armrests „U2(OPA)“ height adjustable, item no. 7107	TF29U		
7107 CHR			

OPTIONS Hard floor castors GAP, item no. 6990-3 / Foot glides item no. 6988

Fabrics

S100 (black), S101 (red), S105 (green), S106 (blue)
BC-fabrics: 3D-mesh (100 % polyester)
Softex: edge (Wear layer: 100% PU / Ground fabric: 65% PES, 30% CO, 5% CV)

Dimensions

Seat height: 42-54 cm
Seat width: 48 cm
Seat depth: 48 cm
Backrest height: 58 cm
Total height: 104-125 cm

Technical data

Weight: approx 19 kg
Unit: 1/carton
Pallet quantity: 10/pallet



Trendy comfortable swivel chair with laterally upholstery



Seat height adjustable in various positions by safety gaslift




Backrest with breathable 3D mesh cover and side parts upholstered in black artificial leather (Softex), height adjustable via ratchet mechanism



Comfortable molded seat with breathable 3D mesh cover and side parts upholstered in artificial leather



Point-synchro-mechanism, tension individually adjustable to the body weight, adjustable in various positions



Black polyamide base or chromed steel base, equipped with braked double-wheel safety castors for carpets



Optional armrests „R2(OPA)“ or height adjustable armrests „U2(OPA)“



This product has the GS-sign of Intertek in Fuerth and complies in this relation to all security requirements

Max. User height 1,92 m | Max. User weight 110kg | Max. Using time/day 8 hours

Two 10



Model	Item no.		
Polyamide base black			
without armrests	TF100		
with armrests „R2(OPA)“, item no. 7135	TF10R		
with armrests „U2(OPA)“ height adjustable, item no. 7107	TF10U		
Steel base chromed			
without armrests	TF190		
with armrests „R2(OPA)“, item no. 7135	TF19R		
with armrests „U2(OPA)“ height adjustable, item no. 7107 CHR	TF19U		

OPTIONS Hard floor castors GAP, item no. 6990-3 / Foot glides, item no. 6988

Fabrics

S100 (black), S101 (red), S105 (green), S106 (blue)
BC-fabrics: 3D-mesh (100 % polyester)
Softex: edge (Wear layer: 100% PU / Ground fabric: 65% PES, 30% CO, 5% CV)

Dimensions

Seat height: 42-54 cm
Seat width: 48 cm
Seat depth: 48 cm
Backrest height: 48 cm
Total height: 94-115 cm

Technical data

Weight: approx. 19 kg
Unit: 1/carton
Pallet quantity: 10/pallet



Trendy comfortable swivel chair with laterally upholstery



Seat height adjustable in various positions by safety gaslift




Backrest with breathable 3D mesh cover and side parts upholstered in black artificial leather (Softex), height adjustable via ratchet mechanism



Comfortable moulded seat with breathable 3D mesh cover and side parts upholstered in artificial leather



Point-synchro-mechanism, tension individually adjustable to the body weight, adjustable in various positions



Black polyamide base or steel base chromed, equipped with braked double-wheel safety castors for carpets



Optional armrests „R2(OPA)“ or height adjustable armrests „U2(OPA)“



This product has the GS-sign of Intertek in Fuerth and complies in this relation to all security requirements

Max. User height 1,92 m | Max. User weight 110kg | Max. Using time/day 8 hours

New S'move

white - edition



Model	Item no.		
Black polyamide base, white frame with armrests, black	DS130A		

OPTIONS Hard floor castors GAP, item no. 6990-3: € 10,- / Foot glides, item no. 6988: € 10,-

Fabrics

Mesh backrest (100 % polyester)
T200 = Seat black T20 / Backrest mesh black
T201 = Seat black T20 / Backrest mesh red
T203 = Seat black T20 / Backrest mesh white
T204 = Seat black T20 / Backrest mesh orange
T205 = Seat black T20 / Backrest mesh apple-green
T208 = Seat black T20 / Backrest mesh royal blue
Seat cover T20 black (100 % Trevira CS)

Dimensions

Seat height: 42 – 55 cm
Seat width: 50 cm
Seat depth: 47 cm
Backrest height: 52 cm
Total height: 100 – 114 cm

Technical data


Weight: approx. 14 kg
Unit: 1/carton
Pallet quantity: 8/pallet




Swivel office chair – modern, timeless, plain design



Seat height adjustable in various positions by safety gaslift



Plastic backrest frame covered with breathable mesh, height- and depth adjustable synchronous to the seat




Seat depth and backrest height are adjustable by movable plastic frame



Square moulded seat with bolster for knees



Tilt mechanism, tension adjustable to the single body weight via crank, lockable in front position by lever



Decorative and solid polyamide base, equipped with braked double wheel safety castors suitable for carpet floors



Incl. armrests, adjustable by eccentric closure (not retrofittable)



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours.

New S'move

black - edition



Model	Item no.		
-------	----------	--	--

Black polyamide base, black frame

incl. armrests, black

DS100A

OPTIONS Hard floor castors GAP, item no. 6990-3 / Foot glides, item no. 6988

Fabrics

Mesh backrest (100 % polyester)
T200 = Seat black T20 / Backrest mesh black
T201 = Seat black T20 / Backrest mesh red
T203 = Seat black T20 / Backrest mesh white
T204 = Seat black T20 / Backrest mesh orange
T205 = Seat black T20 / Backrest mesh apple-green
T208 = Seat black T20 / Backrest mesh royal blue
Seat cover T20 black (100 % Trevira CS)

Dimensions

Seat height: 42 – 55 cm
Seat width: 50 cm
Seat depth: 47 cm
Backrest height: 52 cm
Total height: 100 – 114 cm

Technical data


Weight: approx. 14 kg
Unit: 1/carton
Pallet quantity: 8/pallet




Swivel office chair – modern, timeless, plain design



Seat height adjustable in various positions by safety gaslift



Plastic backrest frame covered with breathable mesh, height- and depth adjustable synchronous to the seat




Seat depth and backrest height are adjustable by movable plastic frame



Square moulded seat with bolster for knees



Tilt mechanism, tension adjustable to the single body weight via crank, lockable in front position by lever



Decorative and solid polyamide base, equipped with braked double wheel safety castors suitable for carpet floors



Incl. armrests, adjustable by eccentric closure (not retrofittable)



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours.

Free Art



Model	Item no.		
Polyamide base black, with headrest			
without armrests	FR100..X		
with armrests „L4(OPA)“ height adjustable, item no.: 7128	FR10L..X		
with armrests „P4(OPA)“ height adjustable, item no.: 7126	FR10P..X		
Steel base chromed, with headrest			
without armrests	FR190..X		
with armrests „L4(OPA)“ height adjustable, item no.: 7128	FR19L..X		
with armrests „P4(OPA)“ height adjustable, item no.: 7126	FR19P..X		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6988

Fabrics

Seat: G20 black (100% polypropylene)
Backrest: elastane mesh (68% polyester, 32% elastane)
black (G200), dark-grey (G202), light grey (G208)

Dimensions

Seat height: 42 - 53 cm
Seat width: 50 cm
Seat depth: 50 cm
Backrest height: 62 - 69 cm
Headrest height: 20 cm
Total height: 123 - 143 cm

Technical data

Weight: approx. 17 kg
VPE: 1/carton
Pallet quantity: 10/pallet



Swivel chair with new elastane mesh backrest



Seat height adjustable in various positions by safety gaslift




New design backrest (half-open/closed) with breathable elastane mesh cover, height and angle adjustable via raster mechanism



Comfortable intervertebral discs seat with bolster for knees



Synchro-mechanism, for the synchronous adjustment of the seat- and backrest angle, tension individually adjustable to the body weight, lockable in various positions



Polyamid base black or steel base chromed, equipped with braked double-wheel safety castors suitable for carpets



Option: height adjustable armrests „L4“ or „P4“



Multifunctional headrest, adjustable in height and angle



This product has the GS-sign of Intertek and complies in this relation to all security requirements

Max. User height 1,92 m | Max. User weight 110 kg | Max. Using time / day 8 hours.

Free Art



Model	Item no.		
Polyamid base black			
without armrests	FR100		
with armrests „L4(OPA)“ height adjustable, item no.: 7128	FR10L		
with armrests „P4(OPA)“ height adjustable, item no.: 7126	FR10P		
Steel base chromed			
without armrests	FR190		
with armrests „L4(OPA)“ height adjustable, item no.: 7128	FR19L		
with armrests „P4(OPA)“ height adjustable, item no.: 7126	FR19P		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6988

Fabrics

Seat: G20 black (100% polypropylene)
Backrest: elastane mesh (68% polyester, 32% elastane)
black (G200), dark-grey (G202), light grey (G208)

Dimensions

Seat height: 42 - 53 cm
Seat width: 50 cm
Seat depth: 50 cm
Backrest height: 62 - 69 cm
Headrest height: 20 cm
Total height without headrest / with headrest: 107 - 127 cm / 123 - 143 cm

Technical data

Weight: 17 kg
VPE: 1/carton
Pallet quantity: 10/pallet



Swivel chair with new elastane mesh backrest



Seat height adjustable in various positions by safety gaslift




New design backrest (half-open/closed) with breathable elastane mesh cover, height and angle adjustable via raster mechanism



Comfortable intervertebral discs seat with bolster for knees




Synchro-mechanism, for the synchronous adjustment of the seat- and backrest angle, tension individually adjustable to the body weight, lockable in various positions



Polyamid base black or steel base chromed, equipped with braked double-wheel safety castors suitable for carpets



Option: height adjustable armrests „L4“ or „P4“



Option: Multifunctional headrest, adjustable in height and angle (please put a "X" behind the item no.)



This product has the GS-sign of Intertek and complies in this relation to all security requirements

Max. User height 1,92 m | Max. User weight 110 kg | Max. Using time / day 8 hours.

Trendstar 20 SY



Model	Item no.		
Polyamide base black			
without armrests	TS200		
with armrests „R(OPA)“ item no.: 7085	TS20R		
with armrests „T2(OPA)“, height adjustable item no.:7090 CHR	TS20T		
Aluminium base polished			
without armrests	TS290		
with armrests „R(OPA)“ item no.: 7085	TS29R		
with armrests „T2(OPA)“, height adjustable item no.:7090 CHR	TS29T		

OPTIONS Hard floor castors GAP, item no. 6990-3 / Foot glides, item no. 6988

Fabrics

Fabric group: G (100% polypropylene)

Fabric group: BC (100% polyester)

Dimensions

Seat height:	42-55 cm
Seat width:	48 cm
Seat depth:	48 cm
Backrest height:	58 cm
Total height:	104-115 cm

Technical data

Weight:	approx. 15-18 kg
Unit:	1/carton
Pallet quantity:	8/pallet



Trendy „Home-Office“ swivel chair with high backrest



Seat height adjustable in various positions by safety gaslift




High, body shaped backrest with integrated lumbar support, height adjustable via up and down system



Comfortable flat seat with bolster for knees



Synchro-mechanism with tension adjustment, stageless lockable



Design base in black polyamide or polished aluminium, equipped with braked double-wheel safety castors suitable for carpet floors



Option: height adjustable armrests „T2“ or fixed ring armrests „R“



This product has the GS-sign from Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Trendstar 10 P



Model	Item no.		
Polyamide base black			
without armrests	TS100		
with armrests „R(OPA)“, item no.: 7085	TS10R		
with armrests „T2(OPA)“ chromed, height adjustable, item no.: 7090 CHR	TS10T		
Aluminium base polished			
without armrests	TS190		
with armrests „R(OPA)“, item no.: 7085	TS19R		
with armrests „T2(OPA)“ chromed, height adjustable, item no.: 7090 CHR	TS19T		
OPTIONS Hard floor castors GAP, item no. 6990-3 / Foot glides, item no. 6988			

Fabrics

Fabric group: G (100% polypropylene)

Fabric group: BC (100% polyester)

Dimensions

Seat height:	42-55 cm
Seat width:	48 cm
Seat depth:	48 cm
Backrest height:	58 cm
Total height:	104-115 cm

Technical data

Weight:	approx.. 12-16 kg
Unit:	1/carton
Pallet quantity:	10/pallet



Trendy „Home-Office“ swivel chair with high backrest



Seat height adjustable in various positions by safety gaslift




High, body shaped backrest with integrated lumbar support, stageless height adjustable



Comfortable flat seat with bolster for knees



Permanent contact mechanism, stageless lockable



Design polyamide base black or aluminium base polished, equipped with braked double-wheel safety castors suitable for carpet floors



Option: height adjustable armrests „T2“ or fixed ring armrests „R“



This product has the GS-sign from Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max.user weight 110 kg | Max.using time / day 8 hours

Solution® SY



Model	Item no.		
Polyamide base black			
without armrests	8880		
with armrests „U2“ height adjustable, black, item no. 7096	8880U		
Aluminium base polished			
without armrests	8889		
with armrests „U2“ height adj. chromed, item no. 7096 CHR	8889U		

OPTIONS Hard floor castors big, item no. 6990 / Foot glides high, item no. 6990-2

Fabrics

Fabric group: G (100% polypropylene)

Fabric group: BC (100% polyester)

Dimensions

Seat height:	45 - 55 cm
Seat width:	47 cm
Seat depth:	46 cm
Backrest height:	57 cm
Total height:	105-118 cm

Technical data

Weight:	approx.14,0 - 17,0 kg
Unit:	1/carton
Pallet quantity:	8/pallet



Convenient swivel chair with high backrest in XXL Size



Seat height adjustable in various positions by safety gaslift




High, contour shaped backrest with spinal moulding and lumbar support, height adjustable in various positions



Big, special moulded seat with pelvic support



Synchro-mechanism with body weight adjustment, lockable in various positions



Polyamide base black or aluminium base polished, equipped with braked double wheel safety castors suitable for carpet floors



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max.using time / day 8 hours

Net Point 10



Model	Item no.		
Polyamide base black			
without armrests	NX200		
with armrests "R(OPA)" black, item no.: 7085	NX20R		
with armrests "U2(OPA)" black, height adjustable, item no.: 7101	NX20U		
Steel chromed base			
without armrests	NX290		
with armrests "R(OPA)", black, item no.: 7085	NX29R		
with armrests "U2(OPA)" chromed, height adjustable, item no.: 7101 CHR	NX29U		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6988

Fabrics

Fabric group: G (100% polypropylene)
Always in connection with black mesh backrest

Dimensions

Seat height:	43-54 cm
Seat width:	48 cm
Seat depth:	48 cm
Backrest height:	60 cm
Total height:	97-110 cm

Technical data


Weight:	approx. 13-16 kg
Unit:	1/carton
Pallet quantity:	12/pallet



Designer swivel chair with square mesh backrest



Seat height adjustable in various positions by safety gaslift



Breathable mesh backrest, adjustable in height and angle in various positions



Comfortable flat seat with bolster for knees



Permanent contact mechanism, adjustable in various positions



Decorative and solid design polyamide base or steel base chromed, equipped with braked double wheel safety castors suitable for carpet floors



Optional: armrests "R2(OPA)" or height adjustable armrests "U2(OPA)"



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1.92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Top Pro 2

Price per piece in €



Model	Item no.		Net price
Polyamide base black			
without armrests	T200		125,00
with ring armrests „E“ black, item no. 6999	T20E		165,00
with armrests „H“ height adjustable, item no. 7010	T20H		200,00

OPTIONS Hard floor castors, item no. 6991: € 10,- / Foot glides, item no. 6988: € 10,-

Fabrics

Fabric group: G (100% polypropylene)

Dimensions

Seat height:	42-54 cm
Seat width:	46 cm
Seat depth:	45 cm
Backrest height:	54 cm
Total height:	100-113 cm

Technical data

Weight:	approx. 14-16 kg
Unit:	1/carton
Pallet quantity:	12/pallet



Classical „Office“-swivel chair



Seat height adjustable in various positions by safety gaslift




Backrest with integrated lumbar support, height adjustable in various positions



Special moulded seat with seat depth comfort



Permanent contact mechanism for the adjustment of the backrest angle



Decorative and solid black polyamide base with braked double-wheel safety castors suitable for carpet floors



FEATURE Optional: ring armrests „E“ or height adjustable armrest „H“



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max.using time / day 8 hours

Top Pro 1



Model	Item no.		
Polyamide base black			
without armrests	T100		
with armrests „E“, item no. 6999	T10E		
with armrests „H“ height adjustable, item no. 7010	T10H		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6988

Fabrics

Fabric group: G (100% polypropylene)

Dimensions

Seat height:	42-54 cm
Seat width:	46 cm
Seat depth:	45 cm
Backrest height:	45cm
Total height:	90-103 cm

Technical data

Weight:	approx. 11-16 kg
Unit:	1/carton
Pallet quantity:	12/pallet



Classical "Office"-swivel chair



Seat height adjustable in various positions by safety gaslift




Backrest with integrated lumbar support, height and angle adjustable in various positions



Convenient moulded seat



Permanent contact mechanism, for adjusting the backrest inclination



Decorative and solid black polyamide base with braked double-wheel safety castors suitable for carpet floors



FEATURE

Optional ring armrests "E" or height adjustable armrest "H"



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max.using time / day 8 hours

Cube



Model	Item no.		
Polyamide base black 5-foot			
without armrests	EA100		
with armrests „R2“ black, item no.: 7132	EA10R		
Steel base chromed 5-foot			
without armrests	EA390		
with armrests „R2“ chromed, item no.: 7132 CHR	EA39R		
Steel base chromed 4-foot			
without armrests	EA290		
with armrests „R2“ chromed, item no.: 7132 CHR	EA29R		
OPTIONS Hard floor castors GAP, item no.6990-3 / Foot glides, item no. 6988 / Felt glides, item no. 6984			

Fabrics

Fabric group: L (70% wool, 25% polyamide, 5% other fibres)

Dimensions

Seat height:	42-52 cm
Seat width:	51 cm
Seat depth:	43 cm
Backrest height:	45 cm
Total height:	86-98 cm

Technical data

Weight:	approx. 16 kg
Unit:	1/carton
Pallet quantity:	10/pallet



Trendy swivel chair




Seat height adjustable in various positions by safety gaslift



FEATURE

Comfortable swivel chair, optionally available with polyamide base and castors (5-foot) or with a steel base and foot glides (4-foot) and chromed gaslift




Including castors for carpet floors (5-foot)



Including quick-click-foot glides for carpet floors (4-foot)



Optional: Wing armrests „R2“ black or aluminium polished, suitable to the base



FEATURE

Seat shell completely upholstered



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max.using time / day 8 hours

Wellpoint 30 SY



Model	Item no.		
Polyamide base black with armrests "K2(B)", item no.: 7001	8060K		

OPTIONS Hard floor castors big, item no. 6990 / Foot glides, item no. 6990-2

Fabrics

Fabric group: BC / BD (100% polyester)

Dimensions

Seat height:	43-55 cm
Seat width:	49 cm
Seat depth:	46 cm
Backrest height:	57 cm
Total height:	102-120 cm

Technical data

Weight:	approx. 19 kg
Unit:	1/carton
Pallet quantity:	8/pallet



Convenient swivel chair with moulded foam upholstery




Seat height adjustable in various positions by safety gaslift



Very high backrest with moulded foam upholstery (for spinal column), height adjustable in various positions




Big, comfortable seat with moulded foam upholstery



Point-synchro mechanism, tension individually adjustable to the body weight and lockable in various positions



Armrests "K2(B)" height adjustable, width adjustable via screw, with soft armpads, radially adjustable



Decorative and solid black polyamide base with braked double-wheel safety castors for carpet floors



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1.92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Wellpoint 10



Model	Item no.		
Polyamide base black			
without armrests	8050		
with armrests "B2(B)" black, item no.: 7038	8050B		
with armrests "U2" black, height adjustable, item no.: 7096	8050U		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6988

Fabrics

Fabric group: BC / BD (100% polyester)

Dimensions

Seat height:	43-55 cm
Seat width:	46 cm
Seat depth:	45 cm
Backrest height:	58 cm
Total height:	100-118 cm

Technical data

Weight:	approx. 11-14 kg
Unit:	1/carton
Pallet quantity:	10/pallet



Convenient swivel chair with moulded foam upholstery



Seat height adjustable in various positions by safety gaslift




High, contour-shaped backrest, height and angle adjustable in various positions, with moulded foam upholstery



Comfortable seat with moulded foam upholstery



Permanent-contact mechanism for adjustment of the backrest angle, lockable in various positions



Decorative and solid polyamide base, black, equipped with braked double-wheel castors for carpet floors



FEATURE

Optional ring armrests "B2(B)" or height adjustable armrests "U2"



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Trend SY 10



Model	Item no.		
Polyamide base black with aluminium applications			
without armrests	9020		
with armrests "A1(B)", item no.: 7101 CHR	9020A		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6988

Fabrics

Fabric group: G (100% polypropylene)

Dimensions

Seat height:	42-55 cm
Seat width:	46 cm
Seat depth:	45 cm
Backrest height:	55 cm
Total height:	106-115 cm

Technical data

Weight:	approx. 14-17 kg
Unit:	1/carton
Pallet quantity:	10/pallet



Trendy swivel chair with lumbar support



Seat height adjustable in various positions by safety gaslift




High, body shaped backrest with integrated lumbar support, height adjustable via "up and down system"



Special intervertebral disc seat for an optimal support of the pelvic area



Point-synchro mechanism, individually adjustable to the body weight, stageless lockable



Polyamide base black with aluminium applications and braked double-wheel safety casters for carpeted floors



Ring armrests "A1(B)" item no. 7101 CHR



This model bears the GS mark of Intertek in Fürth and in this context fulfils all safety-related prerequisites

Max. user height 1.92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Top Point SY



Model	Item no.		
Polyamide base black			
without armrests	T0200		
with armrests „Q3(OPA)“ black, item no. 7113	T020Q3		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6988

Fabrics

Fabric group: G (100% polypropylene)

Dimensions

Seat height:	40-51 cm
Seat width:	49 cm
Seat depth:	49 cm
Backrest height:	70 cm
Total height:	110-121 cm

Technical data

Weight:	approx. 18,0 kg
Unit:	1/carton
Pallet quantity:	8/pallet



Trendy swivel chair with ergonomically designed backrest



Seat height adjustable in various positions by safety gaslift




High, contour shaped backrest for the highest possible freedom of the arms, height adjustable in various positions



Comfortable flat seat with bolster for knees



Synchro mechanism including spring tension adjustment, stageless lockable



Polyamide base black, equipped with braked double wheel safety castors for carpet floors

FEATURE

Optional: armrests "Q3(OPA)"



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Ergo Point SY



Model	Item no.		
Polyamide base black without armrests with armrests „Q3(B)“, item no.: 7112	EPO20 EPO20Q		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6988

Fabrics

Fabric group: BC / BD (100% polyester)

Dimensions

Seat height:	42-55 cm
Seat width:	45 cm
Seat depth:	45 cm
Backrest height:	60 cm
Backrest width:	22 / 48 cm
Total height:	100-115 cm

Technical data

Weight:	approx 14-17 kg
Unit:	1/carton
Pallet quantity:	10/pallet



Backrest with unique freedom of movement



Seat height adjustable in various positions by safety gaslift




High, contour-shaped backrest with moulding for spinal column and lumbar support, fitted shape for highest possible freedom of movement for arms, height adjustable via raster mechanism



Special intervertebral disc seat - for an optimal support of the pelvic area



Synchro-mechanism to adjust the seat- and backrest angle synchronously, tension individually adjustable to the body weight and lockable in various positions



Black polyamide base, equipped with braked double-wheel safety castors suitable for carpet floors



FEATURE Optional: armrests "Q3(B)"



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements

Max. User height 1,92 m | Max. User weight 110 kg | Max. Using time / day 8 hours.

Ergo Point P



Model	Item no.		
Black polyamide base without armrests with armrests „Q3(B)“, item no.: 7112	EPO10 EPO10Q		

OPTIONS hard floor castors, item no. 6991 / foot glides, item no. 6988

Fabrics

Fabric group: BC / BD (100% polyester)

Dimensions

Seat height:	42-55 cm
Seat width:	45 cm
Seat depth:	45 cm
Backrest height:	60 cm
Backrest width:	22 / 48 cm
Total height:	100-115 cm

Technical data

Weight:	approx. 12-14 kg
Unit:	1/carton
Pallet quantity:	10/pallet



Backrest with unique freedom of movement



Seat height adjustable in various positions by safety gaslift




High, contour-shaped backrest with moulding for spinal column and lumbar support, fitted shape for highest possible freedom of movement for arms, height adjustable via raster mechanism



Special intervertebral disc seat - for an optimal support of the pelvic area



Permanent-contact-mechanism, for adjustment of the backrest angle, lockable in various positions



Black polyamide base, equipped with braked double-wheel safety castors suitable for carpet floors

FEATURE

Optional: armrests "Q3(B)"



This product has the GS-sign from Intertek in Fuerth and complies in this relation to all security requirements

Max. User height 1,92 m | Max. User weight 110 kg | Max. Using time /day 8 hours.

Open Point SY



Model	Item no.		
Polyamide base black			
without armrests	OP200		
with armrests „Q3“ black, item no.: 7112	OP20Q		
with armrests „U2“ black, height adjustable, item no.: 7096	OP20U		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6988 / Headrest mesh, item no. 10037B9...

Fabrics

Backrest: black mesh
Seat: fabric group G (100% polypropylene)

Dimensions

Seat height: 43-51 cm
Seat width: 48 cm
Seat depth: 48 cm
Backrest height: 60 cm
Total height: 103-111 cm

Technical data


Weight: approx. 14-17 kg
Unit: 1/carton
Pallet quantity: 10/pallet



Modern syncro swivel chair in a trendy mesh style




Seat height adjustable in various positions by safety gaslift




Design backrest with breathable mesh cover, backrest frame with division bar for a high stability and seating comfort, adjustable in height and angle via « up and down » system




Comfortable special pelvic seat for an optimal support of the pelvic area



Point syncro mechanism for the synchronous adjustment of the seat and backrest angle, tension individually adjustable to the single body weight, lockable in various positions



Decorative and solid polyamide base black equipped with braked double-wheel safety castors suitable for carpet floors



Optional:
Multifunctional headrest, adjustable in height and angle according to the individual user (please put a "X" behind the item no.)



Optional:
Armrests "Q3" or height adjustable armrests "U2"



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Open Point P



Model	Item no.:		
Polyamide base black			
without armrests	OP100		
with armrests „Q3“(OPA) black, item no.: 7113	OP10Q		
with armrests„U2“(OPA) black, height adjust., item no.:7107	OP10U		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6988 / Headrest mesh, item no. 10037B9...

Fabrics

Backrest: black mesh
Seat: fabric group G (100% polypropylene)

Dimensions

Seat height: 43-51 cm
Seat width: 48 cm
Seat depth: 48 cm
Backrest height: 60 cm
Total height: 103-111 cm

Technical data

Weight: approx. 12-15 kg
Unit: 1/carton
Pallet quantity: 10/pallet



Modern office swivel chair in trendy mesh optic



Seat height adjustable in various positions by safety gaslift




Design backrest with breathable mesh cover, height adjustable in various positions




Comfortable moulded seat with bolster for knees



Comfort permanent contact mechanism, stageless lockable



Decorative and solid polyamide base black with braked double-wheel safety castors suitable for carpet floors



Optional:
Multifunctional headrest, adjustable in height and angle according to the individual user (please put a "X" behind the item no.)



Optional:
Armrests "Q3(OPA)" or height adjustable armrests "U2(OPA)"



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max.using time / day 8 hours

Support SY



Model	Item no.		
Polyamide base black			
without armrests	8550		
with armrests „SU(B)“, item no.: 7082	8550S		
with armrests „U2“ black, height adjustable, item no.: 7096	8550U		
Steel base chromed			
without armrests	8559		
with armrests „SU(B)“, item no.: 7082	8559S		
with armrests „U2“ chrome, height adjustable, Item no.: 7096 CHR	8559U		
OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6988			

Fabrics

Fabric group: G (100% polypropylene)

Dimensions

Seat height:	42-55 cm
Seat width:	45 cm
Seat depth:	43 cm
Backrest height:	57 cm
Total height:	100-113 cm

Technical data

Weight:	approx. 14-17 kg
Unit:	1/carton
Pallet quantity:	10/pallet



Comfortable swivel chair with lumbar support



Seat height adjustable in various positions by safety gaslift




High, ergonomically shaped backrest with moulding for spinal column, height adjustable in various positions



Special pelvic seat for optimal support of the pelvic area



Synchro-mechanism with body weight adjustment, lockable in various positions



Polyamide base black or steel base chromed, equipped with braked double wheel safety castors for carpet floors



FEATURE

Optional: armrests „SU(B)“ or height adjustable armrests „U2“



This product has the GS-sign of Intertek, Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110kg | Max. using time / day 8 hours

Airgo Net



Model	Item no.		
Black polyamide base with ring armrests „B2(B)“ black; item no.: 7038	AN20B		

OPTIONS Hard floor castors, Item no. 6991 / Foot glides, Item no. 6988

Fabrics

Seat: G20-G28 (100% polypropylene)
Backrest: B90-B98, BG1-BG3 (100% polyester)

Seat and mesh backrest in matching colour:
G033 (G03), G044 (G04), G055 (G05), G200 (G20), G211 (G21)
Seat with black mesh backrest:
G20-G28 (please add „0“ behind the fabric no.)

Dimensions

Seat height: 40-52 cm
Seat width: 46 cm
Seat depth: 46 cm
Backrest height: 57 cm
Total height: 97-109 cm

Technical data


Weight: approx. 14,0 kg
Unit: 1/carton
Pallet quantity: 12/pallet



Design swivel chair with mesh backrest



Seat height adjustable in various positions by safety gaslift



High backrest with breathable mesh cover, stageless height adjustable




Convenient moulded seat



Permanent-contact-mechanism, stageless lockable



Including fixed ring armrests „B2(B)“



Decorative and solid black polyamide base, equipped with braked double-wheel safety castors suitable for carpet floors



This product has the GS-sign of Intertek and complies in this relation to all security requirements

Max. User height 1,92 m | Max. User weight 110 kg | Max. Using time / day 8 hours

U50



Model	Item no.		
Polyamide base black low backrest: 40 cm without armrests with armrests „B2(B)“, item no. 7038	8070 8070B2		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6988

Fabrics

Fabric group: G (100% polypropylene)

Fabric group: BC (100% polyester)

Dimensions

Seat height:	42-55 cm
Seat width:	46 cm
Seat depth:	45 cm
Backrest height:	40 cm
Total height:	80 - 103 cm

Technical data

Weight:	approx. 11-14 kg
Unit:	1/carton
Pallet quantity:	12/pallet



Comfortable "Small-Office" swivel chair



Seat height adjustable in various positions by safety gaslift




Ergonomically moulded foam backrest, height adjustable in various positions



Convenient moulded seat



Permanent contact mechanism for adjusting the backrest angle, adjustable in various positions



Design polyamide base black, equipped with braked double-wheel safety castors for carpet floors



Option: ring armrests „B2“



This product has the GS-sign of the Intertek Fuerth and complies to all security requirements

Max. User height 1,92 m | Max. User weight 110 kg | Max. Using time / day 8 hours.

Smart Point



Model	Item no.		
Polyamide base black			
without armrests	LC100		
with armrests „R2(OPA)“ black, item no.: 7135	LC10R		
with armrests „P4(OPA)“, item no.: 7126	LC10P		

OPTIONS Hard floor castors GAP, item no. 6990-3 / Foot glides, item no. 6988

Fabrics

Seat in G20 (100% polypropylene), KB fabrics (100 % polyester) or BR0 (100% polyester)
Backrest black: B50 (100% polyester)

Dimensions

Seat height: 42 – 55 cm
Seat width: 44 cm
Seat depth: 44 cm
Backrest height: 42 cm
Backrest width: 42 cm

Technical data

Weight: approx. 12 – 13 kg
Unit: 1/carton
Pallet quantity: 12(pallet)



Exclusive Home Office Chair



Seat height adjustable in various positions by safety gaslift



New design backrest with breathable elastane mesh cover



Comfortably upholstered seat



Kneematic-tilt-mechanism, spring tension individually adjustable through a rotary handle to the individually body weight, lockable in the front position



Decorative and solid polyamide base, equipped with braked double wheel safety castors suitable for carpet floors



Optional: armrests "R2(OPA)" or „P4(OPA)“



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Point 80



Model	Item no.		
Polyamide base black			
without armrests	8180		
with armrests „SU“ (B) item no.: 7082	8180S		
with armrests „U2“, height adjustable, item no.: 7096	8180U		
Steel base chromed			
without armrests	8189		
with armrests „SU“ (B), item no.: 7082	8189S		
with armrests „U2“ height adjustable, item no.: 7096 CHR	8189U		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6988

Fabrics

Fabric group: G (100% polypropylene)
Fabric group: BC (100% polyester)

Dimensions

Seat height: 42-55 cm
Seat width: 49 cm
Seat depth: 46 cm
Backrest height: 57 cm
Total height: 105-118 cm

Technical data

Weight: approx. 13-16 kg
Unit: 1/carton
Pallet quantity: 10/pallet



Comfortable „Small-Office“ swivel chair in „XXL-size“




Seat height adjustable in various positions by safety gaslift




Extra high, body shaped backrest with moulding in the area of the lumbar vertebra, stageless lockable in height and angle



Big comfortable moulded seat with pelvis support



Permanent contact mechanism for adjusting of the backrest angle, lockable in various positions



Decorative and solid black polyamide base or chromed steel base, equipped with braked double-wheel safety castors suitable for carpet floors



Optional: armrests „SU(B)“ or height adjustable armrests „U2“



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Point 70



Model	Item no.		
Polyamide base black			
without armrests	8170		
with armrests „SU“(B), item no.: 7082	8170S		
with armrests „U2“, height adjustable, item no.: 7096	8170U		
Steel base chromed			
without armrests	8179		
with armrests „SU“(B), item no.: 7082	8179S		
with armrests „U2“, height adjustable, item no.: 7096 CHR	8179U		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6988

Fabrics

Fabric group: G (100% polypropylene)
Fabric group: BC (100% polyester)

Dimensions

Seat height: 41-53 cm
Seat width: 45 cm
Seat depth: 45 cm
Backrest height: 57 cm
Total height: 98-110 cm

Technical data

Weight: approx. 12-15 kg
Unit: 1/carton
Pallet quantity: 10/pallet



Small-Office intervertebral discs seat



Seat height adjustable in various positions by safety gaslift




High, formshaped backrest with moulding for spinal column, adjustable in height and angle in various positions



Special pelvic seat for an optimal support of the pelvic area



Permanent contact mechanism for adjusting of the backrest angle, lockable in various positions



Decorative and solid polyamide base black or steel base chromed, equipped with braked double-wheel safety castors suitable for carpet floors



FEATURE Optional: armrests "SU(B)" or height adjustable armrests "U2"



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max.using time / day 4 hours

Point 30



Model	Item no.		
Black polyamide base			
without armrests	P030		
with ring armrests „B2(B)“, black, item no. 7038	P030B2		
with armrests „U2“ height adjustable, black, item no. 7096	P030U		
Steel base chromed			
without armrests	P039		
with ring armrests „B2(B)“, black, item no. 7038	P039B2		
with armrests „U2“ height adjustable, chromed, item no. 7096 CHR	P039U		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6988

Fabrics

Fabric group: G (100% polypropylene)

Fabric group: BC (100% polyester)

Dimensions

Seat height:	40-51 cm
Seat width:	47 cm
Seat depth:	45 cm
Backrest height:	50 cm
Total height:	90-101 cm

Technical data

Weight:	approx. 11-14 kg
Unit:	1/carton
Pallet quantity:	12/pallet



Comfortable „Small-Office“ swivel chair



Seat height adjustable in various positions by safety gaslift




Moulded foam backrest with integrated lumbar support, adjustable in height and angle in various positions



Ergonomic pelvic seat



Permanent contact mechanism for adjusting of the backrest angle, lockable in various positions



Decorative and solid black polyamide base or chromed steel base, equipped with braked double-wheel safety castors for carpets



FEATURE

Optional: armrests „B2(B)“ or height adjustable armrests „U2“



This product has the GS-sign of Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 4 hours

EXECUTIVE CHAIR

MY OFFICE. MY PROFESSION.

Profi Chief 300



Model	Item no.		
-------	----------	--	--

Aluminium base polished
with armrests TW1

PC49WTW1A80

OPTIONS Hard floor castors big, item no. 6990 / Foot glides, item no. 6990-2

Fabrics

Leather A80, black

Dimensions

Seat height: 44 – 52 cm
Seat width: 48 cm
Seat depth: 44 – 50 cm
Backrest height: 80 cm
Total height: 124 – 132 cm

Technical Data

Weight : approx. 20 kg
Unit : 1/carton
Pallet quantity: 6/pallet



Modern professional swivel chair




Seat height adjustable in various positions by safety gaslift, with integrated depth spring



Seat depth adjustment for the individual adaptation of the user height (sliding seat)



Comfortable synchro mechanism, spring tension individually adjustable on the body weight



Solid design base in polished aluminium with braked double-wheel safety castors suitable for carpet floors



Including height adjustable armrests „TW1 “



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours..

Chairman X



Model	Item no.		
Steel base chromed			
with chromed steel armrests "R2 steel"	9089R		
with height adjustable armrests "S2"	9089S		

OPTIONS Hard floor castors, item no 6991 / Foot glides, item no. 6988

Fabrics

A80 (genuine leather)
Backrest rear side and side parts: artificial leather

Dimensions

Seat height: 43-53 cm
Seat width: 50 cm
Seat depth: 50 cm
Backrest height: 73 cm
Total height: 118 - 128cm
Total width / depth: 57 / 66 cm

Technical data

Weight: 20,2 kg
Unit: 1/carton
Pallet quantity: 6/pallet



Exclusive executive chair




Seat height adjustable in various positions by safety gaslift




Backrest with integrated lumbar support in genuine leather, with transversal quilting seams, backrest rear side and side parts in the same coloured artificial leather



Convenient moulded seat in genuine leather, with transversal quilting seams, side parts in the same coloured artificial leather



Comfortable synchro mechanism, for the synchronous adjustment of the seat- and backrest angle, four times lockable, spring tension individually adjustable to the body weight



Chromed steel base with braked double-wheel safety castors suitable for carpet floors



Including chromed steel armrests "R2 steel" with leather arm pads or height adjustable armrests "S2" with soft pads for arms



This product has the GS-sign of Intertek in Fuerth and complies in this relation to all security requirements

Max. User height 1.92 m | Max.User weight 110 kg | Max.Using time / day 8 hours

RS 1



Model	Item no.		
Aluminium base polished with wing armrests „F2“ black	RS90F		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6987

Fabrics

AD0 (genuine leather)
Backrest rear side and side parts in artificial leather (20% polyester, 70% PVC, 10% PU))

Dimensions

Seat height: 42-51 cm
Seat width: 55 cm
Seat depth: 50 cm
Backrest height: 72 cm
Total height: 118-128 cm

Technical data

Weight: approx. 22 kg
Unit : 1/carton
Pallet quantity: 6/pallet



Comfortable executive chair in a sports seat style



Seat height adjustable in various positions by safety gaslift



High quality stitched backrest with moulded upholstery, backrest rear side and side parts in similar coloured artificial leather




Convenient moulded seat, high quality stitched with moulded upholstery, side parts in similar coloured artificial leather



Kneematic-tilt-mechanism, tension individually adjustable to the body weight and lockable in different positions



Wing armrests „F2“ polyamide black



Solid design base in polished aluminium with braked double-wheel safety castors suitable for carpet floors



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max.using time / day 8 hours

Profi Chief 100



Model	Item no.		
-------	----------	--	--

Steel base

with armrests „T2(OPA)“ chrom, height adjustable, item no. 7090 CHR

PC19TA80

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6988

Fabrics

Leather A80

Dimensions

Seat height:	42-51 cm
Seat width:	52 cm
Seat depth:	48 cm
Backrest height:	68 cm
Total height:	110-120 cm

Technical Data

Weight:	26,6 kg
Unit:	1/carton
Pallet quantity:	8/pallet



Executive chair for people with a body weight up to 130 kg



Seat height adjustable in various positions by safety gaslift




FEATURE


Backrest made of genuine cowhide leather, with integrated lumbar support, backrest rear side and side parts in similar coloured artificial leather



Convenient moulded seat with bolster for knees, made of genuine cowhide leather



Comfortable synchro mechanism, spring tension adjustable on the individual body weight, lockable in multiple positions



Solid steel base, equipped with braked double wheel safety castors suitable for carpet floors



Including height adjustable armrests „T2“



Swivel chair for people up to a body weight of 130 kg



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 130 kg | Max. using time / day 8 hours.

TD Luxe 10



Model	Item no.		
Steel base chromed with chromed steel armrests	8779		

OPTIONS Hard floor castors big, item no 6991 / Foot glides, item no. 6988

Fabrics

A80 (genuine leather)
Backrest rear side and side parts in artificial leather

Dimensions

Seat height: 42-51 cm
Seat width: 50 cm
Seat depth: 48 cm
Backrest height: 70 cm
Total height: 115-124 cm

Technical data

Weight: approx. 22 kg
Unit: 1/carton
Pallet quantity: 10/pallet



Exclusive executive chair



Seat height adjustable in various positions by safety gaslift




Backrest with integrated lumbar support in genuine leather, backrest rear side and side parts in the same coloured artificial leather



Convenient moulded seat with transverse stitching, in genuine leather, side parts in the same coloured artificial leather



Kneematic-tilt-mechanism, tension individually adjustable to the body weight and lockable in various positions



Chromed steel base with braked double-wheel safety castors suitable for carpet floors



Including chromed steel armrests with leather armpads



This product has the GS-sign of Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours

TD Luxe 15



Model	Item no.		
Cantilever frame chromed with chromed steel armrests	8789		

Fabrics

A80 (genuine leather)

Dimensions

Seat height:	46 cm
Seat width:	50 cm
Seat depth:	48 cm
Backrest height:	46 cm
Total height:	90 cm

Technical data

Weight:	approx. 21 kg
Unit:	1/carton
Pallet quantity:	3/pallet



Exclusive executive visitor chair



Cantilever frame made of steel, chromed oval tube

FEATURE



Backrest with integrated lumbar support in genuine leather, backrest rear side and side parts in the same coloured artificial leather



Convenient moulded seat with transverse stitching, in genuine leather, side parts in the same coloured artificial leather

Including chromed steel armrests with upholstered armrests in genuine leather



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements

Max. User height 1.92 m | Max.User weight 110 kg | Max.Using time / day 8 hours

Chairman 70



Model	Item no.		
Polyamide base black with armrests „R2“ black, item no. 7132	NC70R		
Steel base chromed with armrests „R2“ alu, item no. 7132 CHR	NC79R		

OPTIONS Hard floor castors, item no. 6990 (NC70R) / 6991 (NC79R) / Foot glides, item no. 6990-2 (NC70R) / 6988 (NC79R)

Fabrics

Anthracite (DC2), light brown (DC8) (100% polyester)
Genuine leather black (A80)

Dimensions

Seat height: 44-55 cm
Seat width: 50 cm
Seat depth: 48 cm
Backrest height: 70 cm
Total height: 112-124 cm

Technical data

Weight: approx. 19 kg
Unit: 1/carton
Pallet quantity: 10/pallet



Executive chair - elaborately upholstered and quilted



Seat height adjustable in various positions by safety gaslift

FEATURE


Comfortable upholstered backrest with modern quilted seams in genuine leather, side parts and back rear side in artificial leather in the same colour, or in fabric

FEATURE

Convenient upholstered seat with bolster for knees, in genuine leather, side parts in the same colour or in fabric



Comfortable synchro mechanism, spring tension individually adjustable on the body weight



Decorative polyamide base black or against surcharge in chromed steel, equipped with braked double wheel safety castors for carpet floors



Including wing armrests „R2“ black plastic (in combination with black polyamide base) or armrests „R2“ chromed (in combination with chromed base)



This product has the GS-sign of Intertek, Fuerth and complies in this relation to all security requirements.

Max. User height 1.92 m | Max. User weight 110 kg | Max. Using time / day 8 hours

High Sit Up



Model	Item no.		
Steel base chromed with armrests „A1“ chromed, item no.: 7102 CHR	SU39A		
with armrests „T2“ chromed, height adjustable, with arm pads, item no.: 7090 CHR	SU39T		

OPTIONS hard floor castors, item no. 6991 / foot glides, item no. 6988

Fabrics

BG0 black, BG4 orange (100% polyester)

Headrest: genuine leather black

Dimensions

Seat height:	44-53 cm
Seat width:	50 cm
Seat depth:	50 cm
Backrest height:	70 cm
Total height:	118-126 cm

Technical data

Weight:	approx. 18-20 kg
Unit:	1/carton
Pallet quantity:	12/pallet



Relaxing swivel chair with sportive seat



Seat height adjustable in various positions by safety gaslift




High backrest with integrated headrest in genuine black leather with tension effect



Convenient moulding seat with bolster for knees



Kneematic-tilt-mechanism, tension individually adjustable to the individual body weight, lockable in various positions



Stylish and solid base made of chromed steel, equipped with braked double-wheel safety castors suitable for carpet floors



Optional: fixed ring armrests „A1“ or height adjustable armrests „T2“



This product has the GS-sign of Intertek in Fuerth and complies in this relation to all security requirements

Max. User height 1,92 m | Max. User weight 110 kg | Max. Using time / day 8 hours

Speed Chair



Model	Item no.		
Polyamid base black with wing armrests „F2“	SC20F		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6988

Fabrics

TC3, TC6 (100% microfibre / polyurethane)

Dimensions

Seat height:	42-50 cm
Seat width:	55 cm
Seat depth:	50 cm
Backrest height:	72 cm
Total height:	112-120 cm

Technical data

Weight:	approx. 19 kg
Unit:	1/carton
Pallet quantity:	10/pallet



Executive chair in a sports seat style



Seat height adjustable in various positions by safety gaslift



FEATURE

Backrest elaborately stitched with lateral shaping, edging of the upholstery and the backrest rear side in artificial leather black



Convenient moulded seat with high quality stitching, edging of the upholstery and side parts in artificial leather black




Kneematic-tilt-mechanism, tension individually adjustable to the body weight, lockable in various positions



FEATURE

Fabric in artificial leather black and coloured microfibre, high quality stitching with double seams, colour matching the microfibre fabric



Decorative and solid black polyamide base, equipped with braked double-wheel safety castors for carpet floors



Including wing armrests „F2“ polyamide black



This product has the GS-sign of the LGA Nuremberg and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours

SPEED CHAIR 2



Model	Item no.		
Polyamid-base black with armrests „TW3“ height adjustable	7830TW3		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item-no. 6988

Fabrics

KU01 + KU06 artificial leather
(surface: 2% PU / ground fabric: 68% PVS, 30% polyester)

Dimensions

Seat height: 42-51 cm
Seat width / width of cushion: 55 cm / 40 cm
Seat depth: 46 cm
Backrest height: 70 cm (RS: 78 cm)
Total height: 114 - 123 cm
Total width, - depth : 69,5-73 cm, 66 cm

Technical data

Weight: 17,4 kg
Unit: 1/carton
Pallet quantity: 8/pallet



Executive chair, « Gaming-Chair » in a sports seat style"



Seat height adjustable in various positions by safety gaslift



FEATURE

Backrest elaborately stitched with lateral shaping. Complete upholstery in bicoloured artificial leather



Convenient moulded seat with high quality stitching



Tilt mechanism with spring force adjustment via crank, tension individually adjustable to body the weight, lockable in front position



Integrated 3D-Sitress box (2 chambers air cushion) for three-dimensional moveability



Decorative and solid black polyamide base, equipped with braked double-wheel safety castors for carpet floors



FEATURE

Multifunctional armrests with soft pads for arms



This product has the GS-sign of the Intertek Fürth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Soft Lux



Model	Item no.		
Steel base chromed incl. armrests	8329		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no 6988

Fabrics

D60 (100% polyurethane)

Dimensions

Seat height: 42-50 cm
Seat width: 54 cm
Seat depth: 48 cm
Backrest height: 70 cm
Total height: 117-125 cm

Technical data

Weight: approx. 20,0 kg
Unit: 1/carton
Pallet quantity: 8/pallet



Exclusive executive chair in „XXL-Size“



Seat height adjustable in various positions by safety gaslift



FEATURE


Thick upholstered backrest extensively quilted in artificial black leather with integrated headrest



Comfortable, thick upholstered moulded seat extensively quilted in black artificial leather



Tilt mechanism, tension adjustment individually adjustable to the body weight, lockable in various positions



Chromed steel base, equipped with braked double-wheel safety castors suitable for carpet floors



Incl. steel ring armrests with arm pads in the same coloured artificial leather



This product has the GS-sign of Intertek in Fuerth and complies in this relation to all security requirements

Max. User height 1.92 m | Max. User weight 110 kg | Max. Using time / day 8 hours

Comfort Point 100



Model	Item no.		
Chromed steel base with steel armrests, chromed	7829KU0		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6988

Fabrics

KU0 (artificial leather 100% polyurethane)

Dimensions

Seat height:	42-51 cm
Seat width:	50 cm
Seat depth:	48 cm
Backrest height:	70 cm
Total height:	115-124 cm

Technical data

Weight:	approx. 23 kg
Unit:	1/carton
Pallet quantity:	6/pallet



Exclusive executive chair



Seat height adjustable in various positions by safety gaslift



FEATURE


Backrest with integrated lumbar support, horizontally stitched, covered in high-quality artificial leather



Comfortable moulded seat with knee roll, horizontally-stitched, covered in high-quality artificial leather



Tilt mechanism with tension adjustment via lateral crank. Individually adjustable to the body weight.



Chromed steel base, equipped with braked double-wheel safety castors suitable for carpet floors



Steel armrests with arm pads in artificial leather



This product has the GS-sign of Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours

VISITOR

MY OFFICE. MY MEETING



BtoB 3D 40



Model	Item no.		
5-star base, aluminium polished			
Mesh backrest, with armrests „square“	BB890A		
Mesh backrest, with armrests „round“	BB890B		

OPTIONS Hard floor castors big, item no. 6990 / Foot glides high, item no. 6990-2

Fabrics

Backrest: mesh (B90-B98) colour matches to the seat:
 Seat: G03-G09, G21, (100% polypropylene)
 T31 - T38 (100% Trevira CS)
 S01-S10, S14, S18 (Wear layer: 100% PU / Ground fabric: 65% PES, 30% CO, 5% CV)
 Backrest: mesh black (please put a „0“ behind the article code)
 Leather: A80 black

Dimensions

Seat height: 40-49 cm
 Seat width: 49 cm
 Seat depth: 49 cm
 Backrest height: 43 cm
 Total height: 86-95 cm

Technical data


Weight: approx. 17 kg
 Unit: 1/carton
 Pallet quantity: 3/pallet




Visitor chair with 5-star base



Seat height adjustable by safety gas lift, chromed



Ergonomic shaped backrest with breathable mesh cover and black plastic frame




Integrated (3D box) movable seat joint, allows three-dimensional healthy seating



Comfortable padded molded seat with seat shell in black plastic



Including armrests „square“ or „round“



Visitor chair with a 5-star aluminium polished base, equipped with braked double wheel safety castors for carpet floors



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max. using time / day 8 hours

BtoB 3D 30



Model	Item no.		
4-star base, aluminium polished			
Mesh backrest, with armrests "square"	BB690A		
Mesh backrest, with armrests "round"	BB690B		

OPTIONS Foot glides for hard floors, item no.: 6986

Fabrics

Backrest: mesh (B90-B98) colour matches to the seat:
 Seat: G03-G09, G21, (100% polypropylene)
 T31 - T38 (100% Trevira CS)
 S01-S10, S14, S18 (Wear layer: 100% PU / Ground fabric: 65% PES, 30% CO, 5% CV)
 Backrest: mesh black (please put a „0“ behind the article code)
 Leather: A80 black

Dimensions

Seat height: 42-55 cm
 Seat width: 49 cm
 Seat depth: 49 cm
 Backrest height: 43 cm
 Total height: 91-104 cm

Technical data


Weight: ca. 17 kg
 Unit: 1/carton
 Pallet quantity: 3/pallet




Visitor chair with 4-star base



Seat height adjustable by safety gas lift, chromed



Ergonomic shaped backrest with breathable mesh cover and black plastic frame




Integrated (3D box) movable seat joint, allows three-dimensional healthy seating



Comfortable padded molded seat with seat shell in black plastic



Including armrests "square" or "round"



Visitor chair with a 4-star aluminium polished base with solid universal foot glides



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max.using time / day 8 hours

BtoB 20



Model	Item no.		
cantilever frame, black, mesh			
without armrests	BB4000		
with armrests "square"	BB400A		
with armrests "round"	BB400B		
cantilever frame, chromed, mesh			
without armrests	BB4900		
with armrests "square"	BB490A		
with armrests "round"	BB490B		

OPTIONS Foot glides, item no.6983

Fabrics

Backrest: mesh (B90-B98) colour matches to the seat:
Seat: G03-G09, G21, (100% polypropylene)
T31 - T38 (100% Trevira CS)
S01-S10, S14, S18 (Wear layer: 100% PU / Ground fabric: 65% PES, 30% CO, 5% CV)
Backrest: mesh black (please put a „0“ behind the article code)
Leather: A80 black

Dimensions

Seat height: 47 cm
Seat width: 48 cm
Seat depth: 48 cm
Backrest height: 41 cm
Total height: 94 cm
-width, -depth: 63 cm / 63 cm

Technical data

Weight : approx. 9 kg
Unit: 2/carton
Pallet quantity : 6/pallet



Classic visitor chair with a cantilever style frame



Visitor chair with a cantilever style frame, round pipe Ø 25 mm, powder-coated black or –against surcharge– chromed, equipped with plastic foot glides

FEATURE



Ergonomic shaped backrest with breathable mesh cover and black plastic frame



Stackable (4 pieces per pile)



Comfortable upholstered moulded seat with a seat shell made of black plastic



Optionally available: square or round armrests (cannot be retrofitted)



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max.using time / day 8 hours

BtoB 20



Model	Item no.		
cantilever frame, black, upholstered			
without armrests	BB3000		
with armrests "square"	BB300A		
with armrests "round"	BB300B		
cantilever frame, chromed, upholstered			
without armrests	BB3900		
with armrests "square"	BB390A		
with armrests "round"	BB390B		

OPTIONS Foot glides, item no.6983

Fabrics

Seat: G03-G09, G21, (100% polypropylene)
T31- T38 (100% Trevira CS)
S01-S10, S14, S18 (Wear layer: 100% PU / Ground fabric: 65% PES, 30% CO, 5% CV)
Back upholstered & seat in the same colour (G-& T-& S-Fabrics)
Leather: A80 black

Dimensions

Seat height: 47 cm
Seat width: 48 cm
Seat depth: 48 cm
Backrest height: 41 cm
Total height: 94 cm
-width, -depth: 63 cm / 63 cm

Technical data

Weight : approx. 9 kg
Unit: 2/carton
Pallet quantity : 6/pallet



Classic visitor chair with a cantilever style frame



Visitor chair with a cantilever style frame, round pipe Ø 25 mm, powder-coated black or –against surcharge– chromed, equipped with plastic foot glides



FEATURE

Ergonomic shaped backrest with black plastic cover, upholstered



Stackable (4 pieces per pile)



Comfortable upholstered moulded seat with a seat shell made of black plastic



Optionally available: square or round armrests (cannot be retrofitted)



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max.using time / day 8 hours

BtoB 10



Model	Item no.		
4-foot frame, black, mesh			
without armrests	BB2000		
with armrests „square“	BB200A		
With armrests „round“	BB200B		
4-foot frame, chromed, mesh			
without armrests	BB2900		
with armrests „square“	BB290A		
with armrests „round“	BB290B		

OPTIONS Foot glides, item no.6983-

Fabrics

Backrest: mesh (B90-B98) colour matches to the seat
 Seat: G03-G09, G21, (100% polypropylene)
 T31 - T38 (100% Trevira CS)
 S01-S10, S14, S18 (Wear layer: 100% PU / Ground fabric: 65% PES, 30% CO, 5% CV)
 Backrest: mesh black (please put a „0“ behind the article code)
 Leather: A80 black

Dimensions

Seat height: 47 cm
 Seat width: 48 cm
 Seat depth: 48 cm
 Backrest height: 41-43 cm
 Total height: 94 cm
 -width, -depth: 63 cm / 63 cm

Technical data

Weight : approx. 9 kg
 Unit: 2/carton
 Pallet quantity 6/pallet



Classic 4-foot-visitor chair in a trendy design with mesh back



Visitor chair with a 4-foot frame made of steel, round pipe Ø 25 mm, powder-coated black or –against surcharge– chromed, equipped with plastic foot glides



Ergonomic shaped backrest with black plastic frame and breathable mesh cover



Stackable (4 pieces per pile)



Comfortable upholstered moulded seat with a seat shell made of black plastic



Optionally available: square or round armrests (cannot be retrofitted)



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max.using time / day 8 hours

BtoB 10



Model	Item no.		
4-foot frame, black, upholstered			
black frame without armrests	BB1000		
black frame with armrests „square“	BB100A		
black frame with armrests „round“	BB100B		
4-foot frame, chromed, upholstered			
chromed frame without armrests	BB1900		
chromed frame with armrests „square“	BB190A		
chromed frame with armrests „round“	BB190B		

OPTIONS Foot glides, item no.6983-

Fabrics

Seat: G03-G09, G21, (100% polypropylene)
T31 - T38 (100% Trevira CS)
S01-S10, S14, S18 (Wear layer: 100% PU / Ground fabric: 65% PES, 30% CO, 5% CV)
Back upholstered & seat in the same colour (G-& T-& S-Fabrics)
Leather: A80 black

Dimensions

Seat height: 47 cm
Seat width: 48 cm
Seat depth: 48 cm
Backrest height: 41-43 cm
Total height: 94 cm
-width, -depth: 63 cm / 63 cm

Technical data

Weight : approx. 9 kg
Unit: 2/carton
Pallet quantity 6/pallet



Classic 4-foot-visitor chair in a trendy design with mesh back



Visitor chair with a 4-foot frame made of steel, round pipe Ø 25 mm, powder-coated black or –against surcharge– chromed, equipped with plastic foot glides



FEATURE

Ergonomic shaped backrest with black plastic cover, upholstered



Stackable (4 pieces per pile)



Comfortable upholstered moulded seat with a seat shell made of black plastic



Optionally available: square or round armrests (cannot be retrofitted)



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max.using time / day 8 hours

Open Chair 110



Model	Item no.		
Chromed frame with armrests	OC690		

OPTIONS Quick-click foot glides, item no. 6985 : €10,-

Fabrics

Fabric group: T (100% Trevira CS)
Fabric group: S (Wear layer: 100% PU / Ground fabric: 65% PES, 30% CO, 5% CV)
Fabric group: A80 (Leather)

Dimensions

Seat height: 46 cm
Seat width: 47 cm
Seat depth: 50 cm
Backrest height: 52 cm
Total height: 98 cm

Technical data

Weight: approx. 10 kg
Unit: 2/carton
Pallet quantity: 6/pallet



Design visitor chair in cantilever style



Design visitor chair in cantilever style made of steel, round pipe chromed

FEATURE

Ergonomically shaped backrest, upholstered, reverse side of backrest with a black plastic cover



Comfortable, ergonomically shaped moulded seat



Stackable (4-6 chairs per pile)

FEATURE

Armrests with black polyamide arm pads included
Quick-click foot glides with plastic insert



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max.using time / day 8 hours

Open Chair 100



Model	Item no.		
Steel chromed frame with armrests	OC590		

OPTIONS Quick click foot glides with felt insert, item no. 6985

Fabrics

T-Fabrics: 100% Trevira CS
T31, T33, T34, T35, T38, T39 Mesh backrest, same colour as seat
T20, T21, T22, T23, T25, T26, T27 Backrest in black mesh
S-Fabrics: (Wear layer: 100% PU / Ground fabric: 65% PES, 30% CO, 5% CV)
S01, S03, S04, S05, S07, S14, S18 Mesh backrest, same colour as seat
S10, S12, S13, S16 Backrest in black mesh
Leather: A80 black – backrest in black mesh

Dimensions

Seat height:	46 cm
Seat width:	47 cm
Seat depth:	50 cm
Backrest height:	52 cm
Total height:	98 cm

Technical data


Weight:	approx. 9 kg
Unit:	2/carton
Pallet quantity:	6/pallet



Design visitor chair in cantilever style



Design visitor chair in cantilever style made of steel, round pipe chromed Ø 25 mm



Backrest ergonomically shaped, with breathable mesh cover



Convenient, ergonomically shaped moulded seat



Stackable (4-6 chairs per pile)

FEATURE

Armrests with black polyamide arm pads

FEATURE

Quick-click-foot glides with plastic insert



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. User height 1.92 m | Max. User weight 110 kg | Max. Using time / day 8 hours

Visit 20



Model	Item no.		
Chromed steel frame, cantilever style			
mesh backrest black, without armrests	NV490...0		
mesh backrest black, with armrests, item no.: 7139 CHR	NV49A...0		
upholstered backrest, without armrests	NV390		
upholstered backrest, with armrests, item no.: 7139 CHR	NV39A		

Minimum order quantity: 2 units

Fabrics

Fabric group: G (100% polypropylene)
Mesh version: backrest always in black mesh, please put a "0"
behind the item no. (100% polyester)

Dimensions

Seat height: 47cm
Seat width: 48 cm
Seat depth: 45 cm
Backrest height: 32 cm
Total height: 85 cm

Technical data

Weight: approx. 9 kg
Unit: 2/carton
Pallet quantity: 8/pallet



Classic visitor chair with cantilever frame in a trendy design

	Visitor chair with a cantilever frame made of chromed steel, round pipe Ø 22 mm, with plastic foot glides
FEATURE	Ergonomically shaped backrest, either upholstered or with breathable mesh
	Comfortable moulded seat with rounded front edge for comfortable sitting
	Stackable (2 chairs per pile)
	Armrests available against surcharge (can be retrofitted)



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements

Max. User height 1,92 m | Max. User weight 110 kg | Max. Using time / day 8 hours

Visit 10



Model	Item no.		
Steel frame, chromed, 4-foot			
mesh backrest, black, without armrests	NV290...0		
mesh backrest, black, with armrests, item no.: 7139 CHR	NV29A...0		
upholstered backrest, without armrests	NV190		
upholstered backrest, with armrests, item no.: 7139 CHR	NV19A		

Minimum order quantity: 2 units

Fabrics

Fabric group: G (100% polypropylene)
Mesh version: backrest always in black mesh, please put a "0"
behind the item no. (100% polyester)

Dimensions

Seat height:	46 cm
Seat width:	48 cm
Seat depth:	45 cm
Backrest height:	32 cm
Total height:	83 cm

Technical data

Weight:	approx. 7,6 kg
Unit:	2/carton
Pallet quantity:	8/pallet



Classic visitor chair with 4-foot-frame in a trendy design



Visitor chair with 4-foot base made of chromed steel, round pipe Ø 22 mm, with plastic foot glides

FEATURE

Ergonomically shaped backrest, either upholstered or with breathable mesh



Convenient moulded seat with rounded front edge for comfortable sitting



Stackable (2 chairs per pile)



Armrests optional against surcharge (can be retrofitted)



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements

Max. User height 1,92 m | Max. User weight 110 kg | Max. Using time / day 8 hours

W-Chair



Model	Item no.		
Chromed steel frame without armrests	CH490		

Minimum order quantity: 4 units

Material

Plastic:
-0 black shell
-2 white shell
-3 grey shell
-5 green shell

Dimensions



Seat height: 46 cm
Seat width: 44 cm
Seat depth: 42 cm
Backrest height: 40 cm
Total height: 84 cm

Technical data

Weight: approx. 6 kg
Unit: 4/carton
Pallet quantity: 12/pallet



Visitor chair with sophisticated steel skid frame

FEATURE	Visitor chair with filigree skid frame made of steel, round tube chromed, 18 mm solid matter
FEATURE	Comfortable plastic seat and backrest shell, ergonomically formed
	Stackable (10-12 chairs per pile)
	Plastic foot glides suitable for carpet floors, line connection is possible



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max. using time / day 8 hours

CONTRACT

MY CORPORATE DESIGN.
MY ARCHITECTURE.

New Aluart Classic



Model	Item no.		
Aluminium base polished with armrests "D4", without headrest	BG49D4...		
with armrests "D4", with headrest	BG49D4...X		

OPTIONS Hard floor castors, item no. 6990-95 / Foot glides, item no. 6990-2

Fabrics

Leather A80

Dimensions

Seat height:	42-52 cm
Seat width:	48 cm
Seat depth:	48-55 cm
Backrest height:	63 cm
Headrest height:	20 cm
Total height:	105-115 cm

Technical data

Weight:	approx. 17-21 kg
Unit:	1/carton
Pallet quantity:	3/pallet



Swivel chair with aluminium optics and synchro-mechanism



Seat height adjustable in various positions by chromed safety gaslift



FEATURE


Backrest with upholstered covers in genuine leather, incl. height adjustable lumbar support



Convenient flat seat with seat depth adjustment (sliding seat)




Synchro-mechanism for the synchro-nal adjustment of the seat and backrest angle, tension adjustable to the body weight, lockable in various positions



Decorative and solid aluminium base polished, equipped with braked double-wheel safety castors suitable for carpet floors



Multi-functional armrests with leather arm pads



Option: headrest



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements

Max. User height 1,92 m | Max. User weight 110 kg | Max. using time / day 8 hours.

New Aluart



Model	Item no.		
Fabric version: Aluminium base polished with armrests "TW1", item no. 7119, without headrest with armrests "TW1", item no. 7119, with headrest	BG19TW BG19TW...X		
Leather version: Aluminium base polished with armrests "D4" in mesh optic, without headrest with armrests "D4" in mesh optic, with headrest	BG19D4 BG19D4...X		

OPTIONS Hard floor castors, item no. 6990-95 / Foot glides, item no. 6990-2

Fabrics

Seat:

W50-W59 (100% polyester)

A80 (100% genuine leather)

Backrest:

In mesh black (0- behind fabric no.)

Dimensions

Seat height:	42-52 cm
Seat width:	48 cm
Seat depth:	48-55 cm
Backrest height:	63 cm
Headrest height:	20 cm
Total height:	105-115 cm

Technical data


Weight:	approx. 17-21 kg
Unit:	1/carton
Pallet quantity:	3/pallet



Swivel chair with aluminium optics and synchro-mechanism



Seat height adjustable in various positions by chromed safety gaslift




Backrest with breathable mesh cover , incl. height adjustable lumbar support



Convenient flat seat with seat depth adjustment (sliding seat)




Synchro-mechanism for the synchro adjustment of the seat and backrest angle, tension adjustable to the body weight, lockable in various positions



Decorative and solid aluminium base polished, equipped with braked double-wheel safety castors suitable for carpet floors



W-fabric: height adjustable armrests „TW1 “ (soft arm pads)
Leather: multi-functional armrests „D4“ (leather arm pads)



Option: mesh headrest (please put a „X“ behind the item no.)



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements

Max. User height 1,92 m | Max. User weight 110 kg | Max. using time / day 8 hours

Big Star 30



Model	Item no.		
-------	----------	--	--

Aluminium base polished
with armrest „TW1“ height adjustable, item no.: 7111

BT390T

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6987

Fabrics

Fabric group: W (100% polyester)

Dimensions

Seat height:	44-52 cm
Seat width:	52 cm
Seat depth:	46 cm
Backrest height:	80 cm
Total height:	124-140 cm

Technical data

Weight:	approx. 22 kg
Unit:	1/carton
Pallet quantity:	3/pallet



Swivel chair for people up to a body weight of 150 kg



Seat height adjustable in various positions by safety gaslift



Incl. seat depth and angle adjustment




Comfortable extra thick upholstered seat with bolster for knees



Point-synchro-mechanism, for synchronic adjustment of the seat- and backrest angle, tension individually adjustable to the body weight and lockable in various positions



Incl. height adjustable „TW1“ armrest with soft arm pads



Designer aluminium base polished, equipped with braked double-wheel safety castors suitable for carpet floors



Swivel chair for people up to a body weight of 150 kg



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements

Max. User height 1,92 m | Max. User weight 150 kg | Max. Using time / day 8 hours.

Big Star 20



Model	Item no.		
Aluminium base, polished with armrests „TW1“ height adjustable, item no.: 7111	BT290T		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6987

Fabrics

Fabric group: W (100% polyester)

Dimensions

Seat height:	51-56 cm
Seat width:	52 cm
Seat depth:	46 cm
Backrest height:	70 cm
Total height:	114-130 cm

Technical data


Weight:	approx. 20-22 kg
Unit:	1/carton
Pallet quantity:	3/pallet




Swivel chair for people up to a body weight of 150 kg




Seat height adjustable in various positions by safety gaslift



Incl. seat depth and angle adjustment




Comfortable extra thick upholstered seat with bolster for knees



Point-synchro-mechanism, for synchronic adjustment of the seat- and backrest angle, tension individually adjustable to the body weight and lockable in various positions



Incl. height adjustable „TW1“ armrest with soft arm pad



Designer aluminium base polished, equipped with braked double-wheel safety castors suitable for carpet floors



Swivel chair for people up to a body weight of 150 kg



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements

Max. User height 1,92 m | Max. User weight 150 kg | Max. Using time / day 8 hours.

Big Star 10



Model	Item no.		
-------	----------	--	--

Aluminium base polished
with armrests „TW1 “ height adjustable, item no. 7111

BT190T

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6987

Fabrics

Fabric group: W (100% polyester)

Dimensions

Seat height:	44-52 cm
Seat width:	52 cm
Seat depth:	46 cm
Backrest height:	60 cm
Total height:	104-120 cm

Technical data

Weight:	approx. 20-22 kg
Unit:	1/carton
Pallet quantity:	3/pallet



Swivel chair for people up to a body weight of 150 kg




Seat height adjustable in various positions by safety gaslift



Incl. seat depth and angle adjustment




Comfortable extra thick upholstered seat with bolster for knees



Point-synchro-mechanism, for synchronic adjustment of the seat- and backrest angle, tension individually adjustable to the body weight and lockable in various positions



Incl. height adjustable „TW1 “ armrest with soft arm pad



Designer aluminium base polished, equipped with braked double-wheel safety castors suitable for carpet floors



Swivel chair for people up to a body weight of 150 kg



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements

Max. User height 1,92 m | Max. User weight 150 kg | Max. Using time / day 8 hours.

Profi Star 15



Model	Item no.		
Aluminium base polished with armrests „H1“, height adjustable, item no.: 7118	PS49H		

OPTIONS Hard floor castors big, item no. 6990 / Foot glides, item no. 6990-2

Fabrics

Fabric group: W (100% polyester)

Fabric group: T (100% Trevira CS)

Dimensions

Seat height:	42-51 cm
Seat width:	50 cm
Seat depth:	46-51 cm
Backrest height:	58 cm
Total height:	100-109 cm

Technical data

Weight:	approx. 22 kg
Unit :	1/carton
Pallet quantity:	6/pallet



Classic comfort swivel chair



Seat height adjustable in various positions by safety gaslift



Backrest „high back“ with ergonomically shaped upholstery in the lumbar area, backrest rear side with black plastic cover




Convenient flat seat with bolster for knees



Point-Synchro-Mechanism, tension individually adjustable to the body weight and lockable in different positions



Seat depth and seat angle adjustment for an optimal adaptation to the body weight



Decorative and solid design aluminium polished base with braked double-wheel safety castors suitable for carpet floors



Including height adjustable armrests „H1“, with soft arm pad



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.92 m | Max. user weight 110 kg | Max.using time / day 8 hours

Profi Net 11



Model	Item no.		
Aluminium base polished with armrests „H1“, height adjustable, item no.: 7111	PS59H		

OPTIONS Hard floor castors big, item no. 6990 / Foot glides, item no. 6990-2

Fabrics

Seat:

Fabric group: W (100% polyester)

Fabric group: T (100% Trevira CS)

Backrest in black mesh (please indicate "0" behind the item no.)

Dimensions

Seat height:	41-53 cm
Seat width:	48-55 cm
Seat depth:	48 cm
Backrest height:	60 cm
Total height:	101-113 cm

Technical data


Weight:	approx. 21 kg
Unit:	1/carton
Pallet quantity:	6/pallet



Comfortable design swivel chair in mesh style



Seat height adjustable in various positions by safety gaslift




Comfortable flat seat including seat depth and angle adjustment with bolster for knees



Ergonomic backrest upholstered in mesh, height adjustable via „up-and-down“ system



Point-synchro mechanism, tension individually adjustable to the body weight via lateral lever, lockable in various positions



Solid design base in polished aluminium with braked double-wheel safety castors suitable for carpet floors



Height adjustable armrests „H1“, with soft arm pad



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1.98 m | Max. user weight 110 kg | Max. using time / day 8 hours

T300



Model	Item no.		
Plastic components black			
polyamide base black, without armrests	TA300...		
polyamide base black, with armrests, item no. 7130	TA300A...		
aluminium base polished, without armrests	TA309...		
aluminium base polished, with armrests, item no. 7130	TA309A...		
Plastic components white			
polyamide base black, without armrests	TA330...		
polyamide base black, with armrests, item no. 7130W	TA330A...		
aluminium base polished, without armrests	TA339...		
aluminium base polished, with armrests, item no. 7130W	TA339A...		
OPTIONS Hard floor castors, item no. 6990 / Foot glides, item no. 6990-2			

Fabrics

Fabric group: W (100% polyester)
Fabric group: T (100% Trevira CS)
Fabric group: L (75% new wool, 25% polyamide)
Mesh black „-0“ or white „-3“ (please add to the item no.)

Dimensions

Seat height: 42-55 cm
Seat width: 48 cm
Seat depth: 46 cm
Backrest height: 56 cm
Total height: 100-112 cm

Technical data

Weight: approx. 12-14 kg
Unit: 1/carton
Pallet quantity: 6/pallet




Modern swivel chair with an elegant mesh backrest



Seat height adjustable in various positions by safety gaslift



FEATURE Elegant plastic components in black or white




Backrest with breathable mesh cover and solid plastic frame, height adjustable lumbar support on the rear side, made of plastic



Modern point-synchro-mechanism, with corpus seat angle adjustment



Convenient moulded seat, seat depth adjustable (sliding seat)



Decorative and solid polyamide base or polished aluminium base and chromed gas lift, equipped with braked double-wheel safety castors for carpets



Optionally available: height adjustable armrests



This product has the GS-sign of Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours

PRODUCTION

EXTRAORDINARY CIRCUMSTANCES.

FIRST CLASS SOLUTIONS.



TexCut 3055

URIS
Spezialmaschinen

Sitness 40



Model	Item no.		
Chromed steel base without armrests	ST290		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no.: 6988

Fabrics

Artificial leather
D10 black
D16 white

Dimensions

Seat height: 43-51 cm
Seat width: 44 cm
Seat depth: 40 cm
Backrest height: 20-30 cm
Total height: 70-80 cm

Technical data


Weight: approx. 12 kg
Unit: 1/carton
Pallet quantity: 10/pallet




3-Dimensionally moveable swivel chair




Seat height adjustable in various positions by safety gaslift



Patented Orthoseat with integrated seat-joint for a three-dimensionally moveability of the seat and backrest.



Height and depth adjustable, ergonomically formed backrest for a healthy back position



Decorative and solid chromed steel base, equipped with braked double-wheel safety castors for carpet floors



This product has the GS-sign of the Intertek in Fuerth and complies in this relation to all security requirements.

Sitness Work High



Model	Item no.		
Aluminium base, black coated Seat shape „saddle seat“	SF503		

Fabrics

Fabric group: CV (100 % polyester)

Dimensions





Seat height: 56 – 88 cm
Seat width / -depth: 38 / 33 cm
Base plate width, -depth: 44 / 42 cm

Technical data

Weight: 7,7 kg
Unit: 1/carton
Pallet quantity: 24/pallet



Patented seat/standing aid for active dynamic sitting or standing

FEATURE	Newly developed standing aid for raised workspaces, e. g. as a supplement to height adjustable tables
FEATURE	Versatile use in office, workshop, kitchen, household etc.
	Patented aluminium base, black coated with „tilting edge“ for an upright or inclined sitting position
	Standing aid allows movements forwards, backwards and sideways, for movable sitting
	Ergonomically shaped "saddle seat" for any desired and comfortable sitting position
	Seat height adjustable in various positions (release lever under the seat)
FEATURE	Black lacquered gas spring with "clean effect", which cleans itself by a wiper mechanism and is therefore oil film free



This product has the GS-sign of Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 4 hours

Standstar



Model	Item no.		
Polyamide base black gaslift column black	70590-0		
Aluminium base, polished gaslift column chromed	70590		

Fabrics

PU0 (Polyurethane foam)

Dimensions

Seat height:	55-81 cm
Seat width:	35 cm
Seat depth:	25 cm
Backrest height:	15 cm
Total height:	70-96 cm

Technical data

Weight:	approx. 8,0 kg
Unit:	1/carton
Pallet quantity:	16/pallet



„Standing stool“ as seating alternative or standing aid

	Seat height adjustable in various positions by safety gaslift
	Seat made of durable polyurethane foam with integrated angle adjustment
	Decorative and solid, black polyamide base or polished aluminium base, equipped with foot glides



This product has the GS-sign of Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Tec 60



Model	Item no.		
Polyamid base, black with standard gaslift and double-wheel castors	72260		
Aluminium base, polished with standard gaslift and double-wheel castors	72269		
Counterbalanced: gaslift, medium-high foot ring gaslift, high (incl. foot ring and foot glides)	7226.Q 7226.M 7226.T		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no 6988

Fabrics

D10, D16 (Artificial leather)
H01 (Beech wood nature)

Dimensions

Seat height: 39-52 cm
Seat height medium: 50-67 cm
Seat height high: 60-80 cm
Seat width: 35 cm
Seat depth: 35 cm

Technical data

Weight: approx. 5-7 kg
Unit: 1/carton
Pallet quantity: 24/pallet




Work stool



Seat height adjustable in various positions by safety gaslift

FEATURE

Seat made of artificial leather or laminated beech wood



Decorative and solid, black polyamide base or polished aluminium base, equipped with braked double-wheel safety castors for carpet floors



This product has the GS-sign of Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Tec 70



Model	Item no.		
Polyamide base, black with standard gaslift and double-wheel castors	72270		
Aluminium base, polished with standard gaslift and double-wheel castors	72279		
Counterversion: gaslift, medium-high foot ring gaslift, high (incl. foot ring and foot glides)			

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no 6988

Fabrics

D10, D16 (Artificial leather)

Dimensions

Seat height:	39-52 cm
Seat height medium:	44-64 cm
Seat height high:	56-80 cm
Seat width:	35 cm
Seat depth:	35 cm

Technical data

Weight:	approx. 6,0 kg
Unit:	1/carton
Pallet quantity:	24/pallet




Work stool with bottom double-stitched seat



Seat height adjustable in various positions by safety gaslift



FEATURE Seat with high upholstery (covered in artificial leather)



Decorative and solid, black polyamide base or polished aluminium base, equipped with braked double-wheel safety castors for carpet floors



This product has the GS-sign of Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Tec 80 PK



Model	Item no.		
Polyamid base, black			
backrest "Low Back" (backrest height: 41 cm)	72280		
backrest "High Back" (backrest height: 51 cm)	73280		
Aluminium base, polished			
backrest "Low Back" (backrest height: 41 cm)	72289		
backrest "High Back" (backrest height: 51 cm)	73289		
Counterconversion:			
gaslift, medium-high			
foot ring			
gaslift, high (incl. foot ring and foot glides)			
OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no. 6988			

Fabrics

PU0 (polyurethane foam)

Dimension

Seat height low:	41-54 cm
Seat height medium:	50-69 cm
Seat height high:	59-84 cm
Seat width:	46 cm
Seat depth:	42 cm

Technical data

Weight:	approx. 13-15 kg
Unit:	1/carton
Pallet quantity:	10/pallet




Modern work swivel chair with a new mesh backrest



Seat height adjustable in various positions by safety gaslift

FEATURE

Comfortable seat made of an easy to clean polyurethane



Decorative and solid, black polyamide base or polished aluminium base, equipped with braked double-wheel safety castors suitable for carpets

FEATURE

Mesh backrest „Low Back“ or „High Back“



Permanent-contact-mechanism, lockable in various positions



This product has the GS-sign of Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Tec 40



Model	Item no.		
Polyamid base, black with standard gaslift and double-wheel castors	72240		
Aluminium base, polished with standard gaslift and double-wheel castors	72249		
Counterconversion: gaslift, medium-high foot ring gaslift, high (incl. foot ring and foot glides)			

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no 6988

Fabrics

PU0 (Polyurethane foam)

Dimensions

Seat height:	41-54 cm
Seat height medium:	50-69 cm
Seat height high:	59-84 cm
Seat width:	44 cm
Seat depth:	43 cm
Backrest height:	32 cm

Technical data

Weight:	approx. 10-12 kg
Unit:	1/carton
Pallet quantity:	16/pallet



Work swivel chair made of durable polyurethane foam

	Seat height adjustable in various positions by safety gaslift
	Backrest adjustable in height and depth
FEATURE	Seat and backrest made of durable polyurethane foam, low-maintenance
	Decorative and solid, black polyamide base or polished aluminium base, equipped with braked double-wheel safety castors for carpet floors
	Permanent-contact-mechanism for adjusting the angle of the backrest



This product has the GS-sign of Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / d 8 hours

Tec 50



Model	Item no.		
Polyamid base, black with standard gaslift and double-wheel castors	72250		
Aluminium base, polished with standard gaslift and double-wheel castors	72259		
Counterconversion: gaslift, medium-high foot ring gaslift, high (incl. foot ring and foot glides)			

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no 6988

Fabrics

Fabric group: G (100% polypropylene)
Fabric group: D10, D16 (Artificial leather)

Dimensions

Seat height: 44-57 cm
Seat height medium: 50-69 cm
Seat height high: 59-84 cm
Seat width: 46 cm
Seat depth: 43 cm
Backrest height: 45 cm

Technical data

Weight: approx. 10-12 kg
Unit: 1/carton
Pallet quantity: 12/pallet



Convenient work swivel chair




Seat height adjustable in various positions by safety gaslift



Backrest ergonomically shaped in the area of the lumbar vertebra, adjustable in height and angle



Special moulded seat



Decorative and solid, black polyamide base or polished aluminium base, equipped with braked double-wheel safety castors for carpet floors



Permanent-contact-mechanism for adjusting the backrest angle



This product has the GS-sign of Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Tec 11



Model	Item no.		
Polyamid base, black with standard gaslift and double-wheel castors	72210		
Aluminium base, polished with standard gaslift and double-wheel castors	72219		
Counterconversion: gaslift, medium-high foot ring gaslift, high (incl. foot ring and foot glides)			

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no 6988

Fabrics

H01 (Beech wood nature)

Dimensions

Seat height:	42-55 cm
Seat height medium:	50-69 cm
Seat height high:	59-84 cm
Seat width:	41 cm
Seat depth:	39 cm
Backrest height:	25 cm

Technical data

Weight:	approx. 8-10 kg
Unit:	1/carton
Pallet quantity:	16/pallet



Work swivel chair made of laminated beech wood




Seat height adjustable in various positions by safety gaslift



Backrest height adjustable

FEATURE

Seat and backrest made of laminated beech wood



Decorative and solid, black polyamide base or polished aluminium base, equipped with braked double-wheel safety castors for carpet floors



Permanent-contact-mechanism for adjusting the backrest angle, lockable



This product has the GS-sign of Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Tec 20



Model	Item no.		
Polyamid base, black with standard gaslift and double-wheel castors	72220		
Aluminium base, polished with standard gaslift and double-wheel castors	72229		
Counterversion: gaslift, medium-high foot ring gaslift, high (incl. foot ring and foot glides)			

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no 6988

Fabrics

PU0 (Polyurethane foam)

Dimensions

Seat height:	41-54 cm
Seat height medium:	50-69 cm
Seat height high:	59-84 cm
Seat width:	46 cm
Seat depth:	43 cm
Backrest height:	30 cm

Technical data

Weight	approx. 10-12 kg
Unit:	1/carton
Pallet quantity:	16/pallet



Work swivel chair made of durable polyurethane foam



Seat height adjustable in various positions by safety gaslift




Backrest adjustable in height and depth



FEATURE

Seat and backrest made of durable polyurethane foam, height adjustable in various positions



Decorative and solid, black polyamide base or polished aluminium base, equipped with braked double-wheel safety castors for carpet floors



This product has the GS-sign of Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 8 hours

Bonanza



Model	Item no.		
Aluminium base polished			
with gas spring, medium-high (incl. double-wheel castors)	70649...Q		
with gas spring, high (incl. foot ring and foot glides)	70649...T		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no 6988

Fabrics

A80 (genuine leather) black

Dimensions

Seat height, medium: 50-69 cm
 Seat height, high: (59-84 cm)
 Seat width: 34 cm
 Seat depth: 43 cm

Technical data

Weight: approx. 15,0 kg
 Unit: 1/carton
 Pallet quantity: 16/pallet



Ergonomically shaped stool as seating alternative




Seat height adjustable in various positions by safety gas lift

FEATURE

Saddle seat with genuine leather cover, including seat angle adjustment

FEATURE

Middle high gas spring or high gas spring (with foot ring)



Polished aluminium base, equipped with braked double-wheel safety castors for carpet floors



This product has the GS-sign of Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 4 hours

Body Balance 20



Model	Item no.		
Steel base, alusilver coated with double-wheel castors	BAL27		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no 6988

Fabrics

Fabric group: T (100% Trevira CS)
Fabric group: S (Wear layer: 100% PU / Ground fabric: 65% PES, 30% CO, 5% CV)
Fabric group: G (100% polypropylene)

Dimensions

Seat height: 42-55 cm
Seat width: 44 cm
Seat depth: 40 cm

Technical data

Weight: approx. 9,0 kg
Unit: 1/carton
Pallet quantity: 20/pallet




Fitness-stool as seating alternative



Seat height adjustable in various positions by safety gaslift via ring release lever below the seat



Fitness-stool with US-patented Orthoseat, three dimensionally moveable seating surface



Alusilver coated steel base, equipped with braked double-wheel safety castors for carpets

FEATURE

Two coloured telescopic sleeve, black-alusilver



This product has the GS-sign of Intertek in Fuerth and complies in this relation to all security requirements

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 4 hours

Body Balance 10



Model	Item no.		
Polyamide base, black with double-wheel castors	BAL10		

OPTIONS Hard floor castors, item no. 6991 / Foot glides, item no 6988

Fabrics

Fabric group: T (100% Trevira CS)
Fabric group: S (Wear layer: 100% PU / Ground fabric: 65% PES, 30% CO, 5% CV)
Fabric group: G (100% Polypropylene)

Dimensions

Seat height: 42-55 cm
Seat diameter: 35 cm


Technical data

Weight: approx. 9 kg
Unit: 1/carton
Pallet quantity: 20/pallet


Fitness-stool as seating alternative



Black polyamide base with braked double-wheel safety castors suitable for carpets



Fitness-stool with three dimensionally moveable seating surface



Seat height adjustable in various positions by safety gaslift via ring release lever below the seat



This product has the GS-sign of Intertek in Fuerth and complies in this relation to all security requirements.

Max. user height 1,92 m | Max. user weight 110 kg | Max. using time / day 4 hours

DESK

MY OFFICE. MY MEETING.



E Table



Model	Item no.
Electrically height adjustable desk	
black frame – length 120 cm	TTS12080S.
grey frame – length 120 cm	TTS12080G.
white frame – length 120 cm	TTS12080W.
black frame – length 160 cm	TTS16080S.
grey frame – length 160 cm	TTS16080G.
white frame – length 160 cm	TTS16080W.
black frame – length 180 cm	TTS18080S.
grey frame – length 180 cm	TTS18080G.
black frame – length 180 cm	TTS18080W.

Colours

2 different plate decors:
white (please indicate „W“ behind item no.)
beech (please indicate „B“ behind item no.)

3 different frame colours:
grey (G), black (S), white (W)

Dimensions

Plate length: 120/160/180 cm
Plate width: 80 cm
Plate thickness: 2,5 cm
Height: 70-120 cm

Technical data

Weight: approx. 20 kg
Unit 2 pc.



Working while standing....ergonomics in the office

FEATURE

Usable for all ages



Twin-engine drive (Bosch motor) – synchronous up and down



Lifting power: up to 80 kg
Load capacity: 100 kg
Speed: 40 mm per second when moving up and down

FEATURE

MFC melamine coated chipboard (thickness: 25 mm)



Automatic collision protection (stops immediately in the event of resistance)



Programmable memory function via display – two different positions for sitting or standing



E-Table Home



Model	Item no.
Electrically height adjustable desk square plate height adjustable from 74 cm – 120 cm (possible adjustment 46 cm)	TTG10070WW

Colours

Table top and frame - white

Dimensions

Plate length:	100cm
Plate width:	70 cm
Plate thickness:	1,8 cm
Height:	74– 120 cm
Widest point of frame:	93 cm
Narrowest point of frame:	68 cm
Table leg length:	70 cm

Technical data

Weight:	approx. 18 kg
Unit	2 pieces



Large adjustment range due to telescopic foot

FEATURE

Usable for all ages



Table frame with only one leg.
Perfect for the home office.



Single engine drive



Lifting force up to 60 kg



MFC melamine coated chipboard



Automatic collision protection













Programmable memory function













MY TOPSTAR. THE ACCESSORIES.






ADDITIONAL EQUIPMENT



Armrests	Model-No.	Style
A1		black / polished
	A1 (B)	7101 CHR Armrest fixing via 2 flat brackets, can be retrofitted!
	A1 (OPA)	7102 CHR Armrest fixing via 2 flat brackets, can be retrofitted!
B2		Ring-armrest, black
	B2	7109 Armrest fixing via 2 flat brackets, can be retrofitted!
	B2 (B)	7038 Armrest fixing via 2 flat brackets, can be retrofitted!
	B2 (P)	7065 P Armrest fixing via 2 flat brackets, can be retrofitted!
D2		Multi-functional armrest, height adjustable, width adjustable via 2 extenders, soft pads for arms depth- and radially adjustable
	D2	7094 Armrest fixing via 1 flat bracket, can be retrofitted!
E		Ring-armrest, black
	E	6999 Armrest fixing via holder, can be retrofitted!
G3		Multi-functional armrest, height and width adjustable, soft pads for arms
	G3	7105 Armrest fixing via 2 hand wheels, can be retrofitted!

Armrests	Model-No.	Style
H		Armrest height adjustable, lockable in 5 different positions
H	7010	Armrest fixing via holder, can be retrofitted!
H1		Armrest height adjustable, with soft pads for arms
TW1 (BIG)	7111	Armrest fixing directly on the seat, can be retrofitted!
H1	7118	Armrest fixing directly on the seat, can be retrofitted!
K2		Armrest height- and width adjustable, with soft pads for arms
K2	7072	Armrest fixing via 2 flat brackets, can be retrofitted!
K2 (B)	7001	Armrest fixing via 2 flat brackets, can be retrofitted!
K2 (OPA)	7100	Armrest fixing via 2 flat brackets, can be retrofitted!
K2 (P)	7072 P	Armrest fixing via 2 flat brackets, can be retrofitted!
L4		Armrest height adjustable, with soft pads for arms
L4 BLACK (OPA)	7128	Armrest fixing via 2 flat brackets, can be retrofitted!
M		Armrest height adjustable, lockable in 5 different positions
M	7033	Armrest fixing via 2 flat brackets, can be retrofitted!





Armrests	Model-No.	Style
P4		Armrest height adjustable, black
	P4 BLACK (B) 7127	Armrest fixing via 2 flat brackets, can be retrofitted!
	P4 BLACK (OPA) 7126	Armrest fixing via 2 flat brackets, can be retrofitted!
P4		Armrest height adjustable, polished
	P4 CHROME (B) 7127 CHR	Armrest fixing via 2 flat brackets, can be retrofitted!
	P4 CHROME (OPA) 7126 CHR	Armrest fixing via 2 flat brackets, can be retrofitted!
Q3		Fix armrest - not height adjustable
	Q3 (B) 7112	Armrest fixing via 2 flat brackets, can be retrofitted!
	Q3 (OPA) 7113	Armrest fixing via 2 flat brackets, can be retrofitted!
R		Ring-armrest, black
	R 7016	Armrest fixing via 1 flat brackets, can be retrofitted!
	R 7032	Armrest fixing via 1 flat brackets, can be retrofitted!
	R (O) 7055	Armrest fixing via 1 flat brackets, can be retrofitted!
	R (OPA) 7085	Armrest fixing via 1 flat brackets, can be retrofitted!
	R (P) 7055 P	Armrest fixing via 1 flat brackets, can be retrofitted!
R2		Armrest, black
	R2 BLACK 7145	Armrest fixing via 2 flat brackets, can be retrofitted!
	R2 BLACK (OPA) 7135	Armrest fixing via 2 flat brackets, can be retrofitted!
	R2 BLACK 7132	Armrest fixing via 2 flat brackets, can be retrofitted!
	R2 BLACK 7148	Armrest fixing via 2 flat brackets, can be retrofitted!

Armrests	Model-No.	Style
R2		Armrest, alu polished
		R2 ALU
		R2 ALU CO
		R2 ALU (NP2)
	7132 CHR	Armrest fixing directly on the seat, can be retrofitted!
	7149 CHR	Armrest fixing directly on the seat, can be retrofitted!
	7147 CHR	Armrest fixing directly on the seat, can be retrofitted!
S2		Armrest height adjustable, with soft pads for arms
		S2 (OPA)
		S2 (NP1)
	7133 CHR	Armrest fixing via 2 flat brackets, can be retrofitted!
	7141 CHR	Armrest fixing via 2 flat brackets, can be retrofitted!
SU		Ring-armrest, black
SU (B)	7082	Armrest fixing via 2 flat brackets, can be retrofitted!
T2		Armrest height adjustable, lockable in 5 different positions, with soft pads for arms
T2 (OPA) CHROME	7090 CHR	Armrest fixing via 2 flat brackets, can be retrofitted!
TW1		Armrest height adjustable, lockable in 5 different positions, with soft pads for arms
TW1 (BIG)	7111	Armrest fixing via screws, can be retrofitted!
TW1 (NP1)	7142	Armrest fixing via screws, can be retrofitted!
TW1 (NP2)	7146	Armrest fixing via screws, can be retrofitted!

Armrests	Model-No.	Style
TW2		Armrest height adjustable, lockable in 5 different positions , with depth adjustable soft pads for arms
TW2	7151	Armrest fixing via screws, can be retrofitted!
TW2	7152	Armrest fixing via screws, can be retrofitted!
TW2	7157	Armrest fixing via screws, can be retrofitted!
TW3		Armrest height adjustable, lockable in 5 different positions, with depth and width adjustable soft pads for arms
TW3	7160	Armrest fixing via screws, can be retrofitted!
TW3	7161	Armrest fixing via screws, can be retrofitted!
U2		Armrest height adjustable, black
U2 (B)	7096	Armrest fixing via 2 flat brackets, can be retrofitted!
U2 (OPA)	7107	Armrest fixing via 2 flat brackets, can be retrofitted!
U2 (P)	7123	Armrest fixing via 2 flat brackets, can be retrofitted!
U2		Armrest height adjustable, polished parts
U2 (B) CHROME	7096 CHR	Armrest fixing via 2 flat brackets, can be retrofitted!
U2 (OPA) CHROME	7107 CHR	Armrest fixing via 2 flat brackets, can be retrofitted!
U2 (P) CHROME	7123 CHR	Armrest fixing via 2 flat brackets, can be retrofitted!
X3		Armrest height adjustable, chrome
X3 (OPA) CHROME	7121 CHR	Armrest fixing via 2 flat brackets, can be retrofitted!
X3 (B) CHROME	7124 CHR	Armrest fixing via 2 flat brackets, can be retrofitted!

Armrests	Model-No.	Style
XD		Multifunctional armrest height-, width-and depth adjustable via screws, with 360° radially adjustable soft pads for arms
XD	7155	Armrest fixing via screws, can be retrofitted!
VISIT		Armrest, polished
VISIT CHROME	7139 CHR	Armrest fixing via 2 flat brackets, can be retrofitted!

Item	No.	Description
HARD FLOOR CASTOR SMALL		Double castors for hard floors, e.g. marble and stone floors, for laminate and parquet flooring, we recommend an additional floor protection mat. Can be retrofitted!
SMALL	6991	Hard floor castor with 10 mm pin, castor diameter: 5 cm
HARD FLOOR CASTOR LARGE		Double castors for hard floors, e.g. marble and stone floors, for laminate and parquet flooring, we recommend an additional floor protection mat. Can be retrofitted!
LARGE	6990	Hard floor castor with 11 mm pin, castor diameter: 6,5 cm
HARD FLOOR CASTOR LARGE WHITE		Double castors for hard floors, e.g. marble and stone floors, for laminate and parquet flooring, we recommend an additional floor protection mat. Can be retrofitted!
LARGE	6990W	Hard floor castor with 11 mm pin, castor diameter: 6,5 cm
HARD FLOOR CASTOR GAP		Double castors for hard floors, e.g. marble and stone floors, for laminate and parquet flooring, we recommend an additional floor protection mat. Can be retrofitted!
GAP	6990-3	Hard floor castor with 10 mm pin, castor diameter: 5 cm
HARD FLOOR CASTOR DESIGN		Double castors for hard floors, e.g. marble and stone floors, for laminate and parquet flooring, we recommend an additional floor protection mat. Can be retrofitted!
DESIGN	6990-95	Hard floor castor with 11 mm pin, castor diameter: 6,5 cm
HARD FLOOR CASTOR SPOKES		Double castors for hard floors, e.g. marble and stone floors, for laminate and parquet flooring, we recommend an additional floor protection mat. Can be retrofitted!
SPOKES DESIGN	6991-4	Hard floor castor with 11 mm pin, castor diameter: 6 cm

Item	No.	Description
WHEEL COVER COLOURED		Coloured wheel covers for castors (model Sitness RS) Two covers per castor (set consists of 5x2 pieces) Can be retro-fitted!
COVER BLUE	10038-90B	Wheel cover blue
GLIDER QUICK-KLICK		Gliders to give the chair a solid foothold. Can be retrofitted!
GLIDER	6984	Quick click foot glider for hard floors
GLIDER 3D		Gliders to give the chair a solid foothold. Can be retrofitted!
GLIDER 3D	6986	Gliders for hard floors (3D visitors' chair)
GLIDER SMALL		Gliders to give the chair a solid foothold. Can be retrofitted!
GLIDER SMALL	6988	Gliders with 10 mm pin, height 2 cm
GLIDER MEDIUM		Gliders to give the chair a solid foothold. Can be retrofitted!
GLIDER MEDIUM	6987	Gliders with 10 mm pin, height 5,5 cm
GLIDER HIGH		Gliders to give the chair a solid foothold. Can be retrofitted!
GLIDER HIGH	6990-2	Gliders with 11 mm pin, height 6 cm


Item	No.	Description
FLOOR PROTECTION MAT		Use with hard floor castors! Minimum order 10 units
FLOOR PROTECTION MAT	MATTE01	Material: Polycarbonate, size: 119 x 78 cm

MY TOPSTAR.

MY WORLD OF COLORS.

FABRICS

A80 – A82 / AF0 – AF8 (LEATHER)




A80



A82



AF0




AF2



AF4



AF7



AF8

COMPOSITION / ORIGIN: european cattle hides

THICKNESS: 0,8 / 1,0 mm

ABRASION RESISTANCE: 50.000 bucklings


AD0



AD0

COMPOSITION: 20% polyester, 70% PVC, 10% PU
WEIGHT: 510 g/m² (+/- 10%)
ABRASION RESISTANCE: 20.000 cycles (Martindale)


B40, B42, B48 (exclusively for model FREE ART)



B40



B42



B48

COMPOSITION: 68% polyester, 32% elastane

WEIGHT: 240 g/lfm (150 g/m³)

ABRASION RESISTANCE: 18.000 cycles (Martindale)

B50



B50

COMPOSITION: 100% polyester


WEIGHT: 350 g/m² (+/- 10%)

ABRASION RESISTANCE: 10.000 cycles (Martindale)


B90 – B98




B90



B91




B92



B93



B94




B98

COMPOSITION: 100% polyester


WEIGHT: 325 g/m² (+/- 10%)

ABRASION RESISTANCE: 50.000 cycles (Martindale)


BB0 – BB9




BB0




BB1




BB2




BB3




BB4




BB5




BB6



BB7



BB8



BB9

COMPOSITION: 100% polyester

WEIGHT: 287 g/m² (+/- 10%)

ABRASION RESISTANCE: > 30.000 cycles (Martindale)

BC0 – BC7 / BD3 – BD6




BC0




BC1




BC4




BC5




BC6



BC7



BD3




BD6

COMPOSITION: 100% polyester


WEIGHT: 175 g/m² (+/- 5%)

ABRASION RESISTANCE: 20.000 cycles (Martindale)


BG1 – BG3



BG1



BG2




BG3

COMPOSITION: 100% polyester

WEIGHT: 340 g/m² (+/- 5%)

ABRASION RESISTANCE: 50.000 cycles (Martindale)

BG0, BG4 (exclusively for model HIGH SIT UP)



BG0




BG4

COMPOSITION: 100% polyester

WEIGHT: 200 g/m² (+/- 5%)

ABRASION RESISTANCE: 20.000 cycles (Martindale)

BH0



BH0

COMPOSITION: 100% polyester


WEIGHT: 340 g/m² (+/- 5%)

ABRASION RESISTANCE: 78.000 +/-20% cycles (Martindale)


BI0 – BI6




BI0




BI3



BI4



BI5



BI6

COMPOSITION: 100% polyester

WEIGHT: 470 g/m² (+/- 5%)

ABRASION RESISTANCE: 30.000 cycles (Martindale)


BR0 – BR7, BT3 – BT9




BR0



BR3



BR4




BR5




BR6




BR7



BT3



BT5



BT6



BT7



BT8



BT9

COMPOSITION: 100% polyester


WEIGHT: 210 g/m² (+/- 10%)

ABRASION RESISTANCE: 50.000 cycles (Martindale)

BS0 – BS3



BS0




BS3

COMPOSITION: 100% polyester


WEIGHT: 524 g/m² (+/- 10%)

ABRASION RESISTANCE: 40.000 cycles (Martindale)

BU1 - BU9




BU0




BU1




BU3




BU5



BU6



BU8




BU9

COMPOSITION: 100% polyester

WEIGHT: 275 g/m² (+/- 10%)

ABRASION RESISTANCE: 80.000 cycles (Martindale)

D10 – D16



D10



D16

COMPOSITION: 88% PVC Compound, 12% Cotton

WEIGHT: 1.070 g/m² (+/- 5%)

ABRASION RESISTANCE: 30.000 bucklings

DC0 – DC9



DC0



DC2



DC6



DC8



DC9

COMPOSITION: 100% polyester

WEIGHT: 288 g/m² (+/- 5%)

ABRASION RESISTANCE: 43.000 cycles (Martindale)


G03 – G28



G03



G04



G05



G08




G20



G21



G22



G23



G26



G27




G28

COMPOSITION: 100% polypropylene

WEIGHT: 235 g/m² (+/- 5%)

ABRASION RESISTANCE: 35.000 +/- 20% cycles (Martindale)

L50 – L59



L50



L51



L52



L53




L54



L55




L56



L57




L58



L59

COMPOSITION: 70% wool, 25% polyamide, 5% other fibres
WEIGHT: 350 g/m² (+/- 5%)
ABRASION RESISTANCE: 100.000 +/- 20% cycles (Martindale)

PU0



PU0

COMPOSITION: 100% polyurethan


WEIGHT: not specified

ABRASION RESISTANCE: not specified

S01 – S18



S01



S03



S04



S05



S07



S10



S12



S13



S14



S16



S18

COMPOSITION: Wear layer: 100% PU
Ground fabric: 65% PES, 30% CO, 5% CV
WEIGHT: 392 g/m² (+/- 5%)
ABRASION RESISTANCE: 100.000 cycles (Martindale)

T20 – T38




T20



T21




T22




T23




T26




T27




T31



T33



T34



T35




T38

COMPOSITION: 100% PL FR TREVIRA CS


WEIGHT: 315 g/m² (+/- 5%)

ABRASION RESISTANCE: 50.000 +/- 20% cycles (Martindale)

TA3 , TC3 – TC6



TA3



TC3



TC6

COMPOSITION: 100% polyester

WEIGHT: 150 g/m² (+/- 5%)

ABRASION RESISTANCE: 20.000 cycles
(Martindale)

W50 – W59



W50




W51



W52



W53



W54




W55




W56



W57



W58



W59

COMPOSITION: 100% polyester

WEIGHT: 400 g/m² (+/- 5%)

ABRASION RESISTANCE: 50.000 cycles (Martindale)

INDEX

CHAIRS & DESKS

AIR SYNCRO	27	HEAD POINT P	37	OPEN X DELUXE (P)	20
AIRGO NET	61	HEAD POINT RS	35	OPEN X DELUXE (P)	21
ALUSTAR BASIC	26	HEAD POINT SY	36	P91	28
ART COMFORT	34	HIGH SIT UP	75	POINT 30	66
AUTOSYNCRON®-1	31	LIGHTSTAR 10	12	POINT 70	65
AUTOSYNCRON®-2	30	LIGHTSTAR 10	13	POINT 80	64
BIG STAR 10	98	LIGHTSTAR 20	10	PROFI CHIEF 100	71
BIG STAR 20	97	LIGHTSTAR 20	11	PROFI CHIEF 300	68
BIG STAR 30	96	LIGHTSTAR 30	9	PROFI NET 11	100
BODY BALANCE 10	112	NET POINT 10	48	PROFI STAR 15	99
BODY BALANCE 20	111	NET PRO 100	17	RS 1	70
BONANZA	110	NET PRO 110	16	SITNESS 40	104
BTOB 10 MESH	86	NEW ALUART	95	SITNESS WORK HIGH	113
BTOB 10 UPHOLSTERED	87	NEW ALUART CLASSIC	94	SMART POINT	63
BTOB 20 MESH	84	NEW S'MOVE BLACK	42	SOFT LUX	78
BTOB 20 UPHOLSTERED	85	NEW S'MOVE WHITE	41	SOFT PRO 100	15
BTOB 3D 30	83	NEW WORKART	29	SOFT PRO 110	14
BTOB 3D 40	82	OPEN ART 10	6	SOLUTION® SY	47
CHAIRMAN 70	74	OPEN ART 2010	7	SPEED CHAIR	76
CHAIRMAN X	69	OPEN BASE 10	8	SPEED CHAIR 2	77
COMFORT PONT 100	79	OPEN CHAIR 100	89	STANDSTAR	114
CUBE	51	OPEN CHAIR 110	88	SUPPORT SY	60
ERGO POINT P	57	OPEN POINT P	59	SYNCRO NET	33
ERGO POINT SY	56	OPEN POINT SY	58	SYNCRO PRO 5	38
E-TABLE	118	OPEN X (N)	25	SYNCRO SOFT	32
E-TABLE HOME	119	OPEN X (P)	24	T300	101
FREE-ART WITH HEADREST	43	OPEN X DELUXE (N)	22	TD LUX 10	72
FREE-ART WITHOUT HEADREST	44	OPEN X DELUXE (N)	23	TD LUX 15	73

INDEX

CHAIRS & DESKS		FABRICS		ADDITIONAL INFORMATION	
TEC 11	108	ALL FABRICS	130	ACCESSOIRES	120
TEC 20	109	A80 - A82 / AF2 - AF8 LEATHER	131	COMPANY	156
TEC 40	106	ADO SYNTHETIC LEATHER	132	FABRICS	130
TEC 50	107	B40, B42, B48 MESH	133	GENERAL INFORMATION	159
TEC 60	115	B50 MESH	134	GS SYMBOL	158
TEC 70	116	B90 - B99 MESH	135	GUARANTEE	158
TEC 80 PK	105	BB0 - BB9 FABRIC	136	INDEX	154
TOP POINT SY	55	BC0 - BC7 FABRIC	137	ISO-CERTIFICATE	159
TOP PRO 1	50	BD3 - BD6 FABRIC	137		
TOP PRO 2	49	BG1 - BG8 MESH	138		
TREND SY 10	54	BG0, BG4 FABRIC	139		
TRENDSTAR 10 P	46	BH0 MESH	140		
TRENDSTAR 20 SY	45	BI0 - BI6 FABRIC	141		
TWO 10	40	BR0 - BR7 FABRIC	142		
TWO 20	39	BT0 - BT9 FABRIC	142		
U50	62	BS0 - BS3 MESH	143		
VISIT 10	91	BU1 - BU9 MESH	144		
VISIT 20	90	D10 - D60 SYNTHETIC LEATHER	145		
W-CHAIR	92	DC0 - DC8 FABRIC	146		
WELLPOINT 10	53	G03 - G28 FABRIC	147		
WELLPOINT 30 SY	52	L50 - L59 FABRIC	148		
X-PANDER	19	PU0	149		
X-PANDER PLUS	18	S01 - S18 FABRIC	150		
		T20 - T39 FABRIC	151		
		TA3 , TC1 - TC7 FABRIC	152		
		W50 - W59 FABRIC	153		

WELCOME TO TOPSTAR



TOPSTAR GMBH

Every Topstar chair complies with all national and international safety standards. They have numerous test seals, among others the GS-sign of the Intertek Deutschland GmbH for tested safety according to the current European norms. Furthermore TOPSTAR's seating solutions continually occupy the top rankings within product tests of independent journals. Moreover Topstar has been certified according to international standards for quality and environmental management according to DIN EN ISO 9001-2015 and DIN EN ISO 14001-2015. We are always searching for possibilities to optimize processes to conserve important resources.

YEAR OF FOUNDATION:
1976

ORIGIN:
WAGNER chair factory

OWNER:
Wagner family

PRODUCTION SPACE:
50.000 m²

SITE AREA:
100.000 m²

PRODUCTION CAPACITY:
10.000 chairs a day

EMPLOYEES:
400

FURTHER INFORMATION
UNDER: www.topstar.de





3 YEARS
WARRANTY


5 YEARS
WARRANTY
TOPSTAR OBJEKT



TRADEMARK AND ADDITIONAL PROPERTY RIGHTS:

Some of the shown models are protected by national and international registrations (trademark rights, design patent, patent or utility model protection law).





WARRANTY SERVICES

1. The warranty period for TOPSTAR – swivel chairs, executive chairs, visitor chairs and seating stools is 36 months from date of ex works delivery.
2. Spare parts are delivered by TOPSTAR for free within the warranty period against return and check up of the faulty parts. Freight and transport costs will be charged to the customer. This regulation is not valid for deliveries that are notified as defective within the first six months upon delivery to the contract partner.
3. If TOPSTAR offers after-sales services, the following regulations will be valid: During the first six months the service will be for free, afterwards the costs will be charged.
4. The warranty period will not be discontinued by an executed specified performance.
5. The TOPSTAR warranty period does not include parts that are subject to wear and tear (e.g. castors, upholstery fabrics, etc.). It also does not include defects that are subject to inaccurate handling (e.g. defects due to bumping and ripping), defects that are due to non-observance of the instruction manual, and defects arising from extreme climatic conditions (e.g. heat, humidity, etc.)
6. Basis for the TOPSTAR warranty period is a daily use of eight hours. If the chair is used in shift operation, the warranty period will be shortened accordingly.

GS

GS-SYMBOL

All TOPSTAR – chairs of all categories bear the GS-symbol of the Intertek Deutschland GmbH and therefore fulfil all safety conditions according to the DIN EN 1335 or on the bases of the DIN EN 1335.



GENERAL INFORMATION

FABRICS

Colour differences of fabrics are subject to production and therefore are no reason of complaint.

CONSTRUCTIONS

We reserve the right to amend construction of the products, if amendment is subject to an improvement of the product. Part of the models shown are in style and design nationally and internationally protected.

DIMENSIONS

Dimensions are subject to DIN EN 1335. All dimensions are approximate dimensions and therefore can differ slightly from all dimensions stated in our sales brochures.

WEIGHTS

All weights are stated as approximate gross weights (incl. packaging).

ORDER MODIFICATION

The order modification or cancellation has to take place within 8 days from the order confirmation receipt.

ISO

ISO-CERTIFICATE

TOPSTAR is certified according to the international standards for the Quality- and Environmental Management since September 2008. (DIN ISO 9001:2015 and DIN EN ISO14001:2015)

NOTE

We reserve the right to further construction and colour amendments, also for deliveries at a later date. A part of the chair models shown are national and international legally protected in shape and design. All shown swivel and director chairs are equipped with safety gaslift (TÜV-proved) for the seat height adjustment.



MADE IN GERMANY